

Contact

Nox Medical ehf Katrinartuni 2 IS – 105 Reykjavik Iceland

Tel: +(354) 5707170

sales@noxmedical.com

www.noxmedical.com

Nox Medical is a leading provider in the field of sleep diagnostic solutions that build on decades of experience in providing industry standard solutions for sleep monitoring and diagnostics as well as bleeding edge technology. Our main goal is to bring to market a new generation of products to support the growth of sleep medicine.

Nox A1 and Nox T3, our flagship products are revolutionary sleep monitors, based on the latest innovations in wireless, memory, sensors and electronic technology. These recording devices are compact, lightweight and easy to use.

Nox Recording Devices have been engineered and designed to record and analyze sleep disorders in children as well as adults. With the monitors we have managed to remove as much sensor leads as possible since the patient comfort is the key element for good sleep recording.

Combining **Nox Recording Devices** with the powerful Noxturnal software unleashes the full potential of the Nox systems. Offering automatic analysis, scoring and reporting, Noxturnal greatly simplifies the task of preparing a sleep study for the correct interpretation by the physicians.

Nox Medical will always aim to pro-actively satisfy its customers' needs. The customer service representatives are trained to handle customer requests promptly and professionally. Personalized customer service, along with prompt delivery, are major priorities in keeping commitments to customers.

Important! Some products may not be available in all markets. For more information contact sales@noxmedical.com

Contents

NOX SYSTEMS	3
Nox T3® System with WristOx2, CE	3
Nox A1® System with WristOx2, CE	4
SOFTWARE	5
Licenses	5
Noxturnal A1 PSG File Format License	5
Noxturnal A1 Online Acquisition License	5
Noxturnal Video Acquisition License	5
Nox C1 DC Channel License	5
Noxturnal EBM PG File Format License	5
Noxturnal EDF File Format License	5
SYSTEM EXTENSIONS	6
Nox C1 Kit	6
WristOx2™ Kit, Model 3150	7
Nox W7 Link Kit, S	7
Nox W7 Link Kit, R	8
Nox W7 Link Kit, A	8
CONSUMABLES	9
Nox RIP Belts	9
Cannulas	9
Airflow Sensors	11
Oximeter Sensors	13
Leads and Electrodes	16
Nox Sensor Kits	19
Gels & Pastes	22
Cleaning	23
SYSTEM COMPONENTS	24

NOX SYSTEMS

Ref No	Unit pr Pack	Description
51 10 10	1	Nox T3® System with WristOx2, CE

The Nox T3 System is a high-end respiratory sleep diagnostic system.

It comes with the Noxturnal analysis software.

The Nox T3 is designed for both adult and pediatric patients.



The Nox T3 system includes:

56 10 10	Nox T3 Recorder		
56 20 10	Nox Abdomen Cable		
95 10 32	Nox RIP belts, Disposable M – 2 sets		
55 20 10	Nox Cannula with Filter – 2pieces		
56 20 11	Nox USB Cable		
91 00 05	Nox T3 Carry Case		
56 90 14	Nox Lid key		
54 10 10	Nonin 3150 WristOx2™ Pack, includes		
55 30 20	WristOx2 Soft Sensor, medium size		
56 40 42	SPO2 3150 Wrist Band		
91 00 08	CD-ROM of the Operators Manual		
53 90 10	Noxturnal CD		
91 10 01	Hookup Card		
91 00 02	AA Battery – 2 units		
91 00 01	AAA Battery – 2 units		

Warranty covered for 2 years (applies only to the main hardware units)

Ref No	Unit pr Pack	Description
51 30 10	1	Nox A1 [®] System with WristOx2, CE

The Nox A1 System is an ambulatory, polysomnography system, fully compliant to the AASM standards. The Nox A1 opens a new era in sleep diagnostic, designed with flexibility, study integrity and patient comfort in mind.



The Nox A1 system includes:

56 11 20	Nox A1 US Recorder
56 21 10	Nox A1 EEG Head Cable 90 cm (35 in), Adult
55 44 11	Nox A1 EEG 5 Lead Gold Electrode Cable - 2 pieces
56 20 10	Nox Abdomen Cable
95 10 X2	Nox RIP belts, Disposable (Sizes: P, S, M, L, XL 1 set each)
55 20 10	Nox Cannula with Filter – 2 units
55 43 10	Nox Double Snap on Lead Orange 50/100 cm (20/40 in)
55 43 12	Nox Double Snap on Lead Grey 148/150 cm (58/60 in)
55 43 14	Nox Double Snap on Lead Black 148/150 cm (58/60 in)
56 20 11	Nox USB Cable
91 00 06	Nox A1 Carry Case
56 90 14	Nox Lid key
53 90 10	Noxturnal CD
54 10 10	Nonin 3150 WristOx2™ Pack, includes
55 30 20	WristOx2 Soft Sensor, medium size
56 40 42	SPO2 3150 Wrist Band
91 00 08	CD-ROM of the Operators Manual
91 30 06	AA Battery – 2 units
91 00 01	AAA Battery – 4 units

Warranty covered for 2 years (applies only to the main hardware unit)

SOFTWARE

Licenses

Ref No	Unit pr Pack	Description
53 40 10	1	Noxturnal A1 PSG File Format License

This license allows you to review Nox A1 sleep studies with Noxturnal (incl. video playback). Without this license you will not be able to open regular PSG studies using Noxturnal. This license also enables the preparation and the download for ambulatory Nox A1 PSG studies.

Ref No	Unit pr Pack	Description
53 60 10	1	Noxturnal A1 Online Acquisition License

This license allows you to use Noxturnal to perform Nox A1 PSG online recordings. At the same time the license allows you to review Nox A1 sleep studies with Noxturnal (incl. video playback). This also enables the preparation and the download for ambulatory Nox A1 PSG studies.

Ref No	Unit pr Pack	Description
53 60 11	1	Noxturnal Video Acquisition License
This license enables Noxturnal to do video acquisition during online recordings.		

Ref No	Unit pr Pack	Description
53 60 13	1	Nox C1 DC Channel License
This live are a stable the DO absence to the New Od Assess Daint Theory ill all any one of a three		

This license enables the DC channels on the Nox C1 Access Point. They will allow you to connect other auxiliary devices that have DC output to the Nox C1 Access Point.

Ref No	Unit pr Pack	Description
53 61 10	1	Noxturnal EBM PG File Format License
This license enables Noxturnal to read and review polygraph recordings in the Embla (EBM) file format.		

Ref No	Unit pr Pack	Description
53 61 11	1	Noxturnal EDF File Format License
This license enables Noxturnal to read and review recordings in the EDF file format.		

Ref No	Unit pr Pack	Description
53 61 12	1	Noxturnal EBM PSG File Format License
This license enables Noxturnal to read and review PSG recordings in the Embla (EBM) file format.		

Ref No	Unit pr Pack	Description
53 61 13	1	Noxturnal SomnoStar File Format License
This license enables Noxturnal to read and review PSG recordings in the SomnoStar file format.		

SYSTEM EXTENSIONS

Ref No	Unit pr Pack	Description
54 40 20	1	Nox C1 Kit

The Nox C1 Access Point is a wireless access point that enables measurement, receiving and streaming of physiological signals during sleep. The Nox C1 is intended to be used with the Nox A1 System to enable online functionality of the system and allow for up to 12 auxiliaryDC input channels.

Includes:

Nox C1 Access Point
Nox C1 Power Supply, incl. EU/JP/US/UK plugs
Nox C1 Manual



Warranty covered for 2 years (applies only to the main hardware unit)

Ref No	Unit pr Pack	Description
54 10 10	1	WristOx2 [™] Kit, Model 3150

Engineered with Nonin Medical's proven PureSAT SPO2 technology and updated with additional performance and reporting features, the WristOx2™ model 3150 is the most advanced wrist-worn pulse oximeter available. The Nonin 3150 is an integrated part of the Nox sleep recording devices and provides Pulse Rate and Blood Oxygen Saturation signals.



Includes:

WristOx2 Soft Sensor, medium size	
SPO2 3150 Wrist Band	
CD-ROM of the Operators Manual	

Warranty covered for 2 years

Ref No	Unit pr Pack	Description
54 40 10	1	Nox W7 Link Kit, S

The Nox W7 Link Kit - S uses Bluetooth technology to allow data transfer between the SenTec Digital Monitor and the Nox A1/T3 recorder for ambulatory studies.

Includes:

Nox W7 Link
Gender Changer
Nox W7 Power Adapter Kit w. EU/UK/US Plug adapters
Nox Mini USB Cable
Leaflet



Warranty covered for 1 year

Ref No	Unit pr Pack	Description
54 40 11	1	Nox W7 Link Kit, R

The Nox W7 Link Kit - R uses Bluetooth technology to allow data transfer between supported auxiliary devices such as the ResMed S9, Nonin RespSense Capnograph and selected Radiometer devices and the Nox A1/T3 recorder for ambulatory studies.

Includes:

Nox W7 Link
Gender Changer
Nox W7 Power Adapter Kit w. EU/UK/US Plug
adapters
Nox Mini USB Cable
Leaflet



Warranty covered for 1 year

Ref No	Unit pr Pack	Description
54 40 12	1	Nox W7 Link Kit, A

The Nox W7 Link Kit - A uses Bluetooth technology to allow data transfer between supported auxiliary devices such as the ResMed AireSense devices and the Nox A1/T3 recorder for ambulatory studies.

Includes:

Nox W7 Link
Gender Changer
Nox W7 Power Adapter Kit w. EU/UK/US Plug adapters
Nox Mini USB Cable
Leaflet



Warranty covered for 1 year

CONSUMABLES

Nox RIP Belts

Ref No	Sets pr Pack	Description
55 10 10	20	Nox RIP Belts Disposable, Pediatric
55 10 20	20	Nox RIP Belts Disposable, Small
55 10 30	20	Nox RIP Belts Disposable, Medium
55 10 40	20	Nox RIP Belts Disposable, Large
55 10 50	14	Nox RIP Belts Disposable, Extra Large

Specifications:

- Nox RIP Belts are very accurate in determining the effort of breathing
- To be used with both Nox A1 and Nox T3 Systems
- High quality signals
- Super stretchable elastics
- Comfortable for patient and clinician
- Easy to adjust
- Single use/disposable



Not warranty covered

Cannulas

Ref No	Unit pr Pack	Description
55 20 10	40	Nox Cannula with Filter, Adult

Specifications:

- The filter fits directly into the pressure connector on Nox recording devices
- ❖ Total length is 90cm/35in
- Air flow pressure
- Single use/disposable



Not warranty covered

Ref No	Unit pr Pack	Description
55 20 20	50	Nox Cannula with Luer-lock, Adult

Specifications:

- Male Luer Connector
- ❖ Total length is 90cm/35in
- Air flow pressure
- Single use/disposable



Not warranty covered

55 21 51	25	Cannula with Luer-lock, Pediatric

Specifications

- Male Luer Connector
- ❖ Total length is 210cm/84in
- Gas sampling line
- Air flow pressure
- Single use/disposable



Not warranty covered

Ref No	Unit pr Pack	Description
55 21 10	50	Nox Filter Tube Connector
Connector betw or Mask tubing.	een Nox Recording de	evice and Nox Cannula with Luer-lock .

Not warranty covered


Airflow Sensors

Ref No	Unit pr Pack	Description
55 22 10	10	Airflow Sensor, Disposable

Specifications:

- ❖ Wire set length: 61cm/24in
- 1.5mm female safety connectors
- Thermocouple airflow solution
- Comfortable, adjustable and easy patient application
- Insulated tips eliminate artifact
- One Channel
- Fits both adults and pediatrics

Warranty covered for 6 months



Specifications:

- ❖ Wire set length: 210cm/84in
- 1.5mm female safety connectors
- Thermocouple airflow solution
- Comfortable, adjustable and easy patient application
- Insulated tips eliminate artifact
- One Channel

Warranty covered for 6 months

Ref No	Unit pr Pack	Description
55 22 22	1	Airflow Sensor, Reusable (Neonate)

Specifications:

- ❖ Wire set length: 210cm/84in
- 1.5mm female safety connectors
- Thermocouple airflow solution
- Comfortable, adjustable and easy patient application
- Insulated tips eliminate artifact
- One Channel

11

Warranty covered for 6 months



Ref No	Unit pr Pack	Description
55 22 30	1	Thermal Flow Sensor, Reusable (Adult)
55 22 31	1	Thermal Flow sensor, Reusable (Pediatric)

Specifications:

- Key Connector
- Thermistor Flow Sensor
- Comfortable, adjustable and easy patient application



Warranty covered for 6 months

Ref No	Unit pr Pack	Description	
55 23 20	50	Mask tubing 183cm (72in) Female x Male	
The tube connects between the Nox Filter Tube Connector (REF 55 21 10)			
and a CPAP N	and a CPAP Mask or Pneumo Flow Sensor (REF 55 28 10)		

Not warranty covered

Ref No	Unit pr Pack	Description	
55 28 10	1	Pneumo Flow Sensor	
The Pneumo I	Flow Sensor can be	used to connect a flow generator	
and the differential pressure port on the Nox C1 Access Point (REF 54 40 20).			

Not warranty covered

Ref No	Unit pr Pack	Description
55 28 11	1	Pneumo Flow Straight Connector
Specifications:		

- * Replacement Connector for the Pneumo Flow Sensor
- Connects to the flow generator
- Size 5mm ID x 22mm ID



Not warranty covered

Ref No	Unit pr Pack	Description
55 28 12	1	Pneumo Flow Straight Adapter

Specifications:

- Replacement Adapter for the Pneumo Flow Sensor
- Connects to the mask tube
- ❖ Size 22mm OD x 22mm ID x 15mm ID



Not warranty covered

Ref No	Unit pr Pack	Description
55 21 15	50	PT1 Hydrophobic Filters

Specification:

- Two filters are attached to the two tubes located on the Pneumo Flow Sensor (Ref 55 28 10)
- Connects to the input of the Pressure Transducer Sensor
- Single use



Not warranty covered

Oximeter Sensors

Ref No	Unit pr Pack	Description
55 30 10	1	WristOx2 Soft Sensor, Small
55 30 20	1	WristOx2 Soft Sensor, Medium
55 30 30	1	WristOx2 Soft Sensor, Large

Specifications:

- Preferred application: Fingers and toes
- Reusable



Warranty covered for 2 years

Ref No	Unit pr Pack	Description
55 31 10	1	Flex Sensor with flexiwraps, Neonatal

Specifications:

- Patient Range < 2kg (4lbs)
- Preferred application: Lateral aspect of foot
- 1 meter cable
- * Reusable, made of durable silicone
- Packed with 25 disposable FlexiWraps for neonatal

Note: Flex Sensors 3150I Sensor Adapter Cable is needed, Ref No 55 39 10.



Warranty covered for 3 months

Ref No	Unit pr Pack	Description
55 31 20	1	Flex Sensor with flexiwraps, Infant

Specifications:

- Patient Range 2-20kg (4-44lbs)
- Preferred application: Toe, thumb, medial aspect of hand
- 1 meter cable
- Reusable, made of durable silicone
- Packed with 25 disposable FlexiWraps for infants

Note: Flex Sensors 3150I Sensor Adapter Cable is needed, Ref No 55 39 10.



Warranty covered for 3 months

Ref No	Unit pr Pack	Description
55 31 30	1	WristOx2 Flex Sensor with flexiwraps, Adult

Specifications:

- Patient Range > 20kg (> 44lbs)
- Preferred application: Index, middle or ring fingers
- · Reusable, made of durable silicone
- ❖ 30cm cable
- Ideal for numerous applications, including extended monitoring and sleep studies
- Packed with 25 disposable FlexiWraps for adults



Warranty covered for 3 months

Ref No	Unit pr Pack	Description
55 31 11	25	FlexiWraps, Neonatal
55 31 21	25	FlexiWraps, Infant
55 31 31	25	FlexiWraps, Adult

Specifications:

- FlexiWraps to use with Nonin's Flex Sensors
- Single use/disposable



Not warranty covered

Ref No	Unit pr Pack	Description
55 39 10	1	WristOx2 3150 Sensor Adapter Cable

All Nonin sensors that are not WristOx₂ sensors can be used with WristOx₂TM, Model 3150 with this adapter cable.



Warranty covered for 3 months

Leads and Electrodes

Ref No	Unit pr Pack	Description
55 44 11	1	Nox A1 EEG 5 Lead Gold Electrode Cable

Specifications:


- Five different colored EEG leads with gold plated cup electrodes
- The colors of the leads are:
 - Green (EOG)
 - Blue (F3/F4)
 - Yellow (C3/C4)
 - Grey (O1/O2)
 - Red (A1/A2)
- The gold cup electrodes are intended to enable recording of EEG/EOG signals during sleep studies
- 10mm diameter gold plated electrode
- The electrodes are intended for both pediatric and adult patients
- Reusable

Warranty covered for 6 months

Ref No	Unit pr Pack	Description
55 42 20	10	Neuroline Cup Disposable EEG Electrodes
Specifications:		

- ♦ 100 cm
- Female 1.5mm safety connector
- Advanced silver/silver chloride sensor ensures uniform high signal quality
- Pre-attached tangle-free lead wires
- Color coded lead wires for easy handling
- No risk of cross-contamination

Not warranty covered



Ref No	Unit pr Pack	Description
		Nox Snap-on Lead:
55 40 20	2	- 50cm (20in), White
55 40 21	2	- 30cm (12in), Beige-White
55 40 22	1	- 100cm (40in), Green
55 40 23	1	- 50cm (20in), Beige-Green
55 40 24	2	- 150cm (60in), Grey

55 40 25	2	- 100cm (40in), Beige-Grey
55 40 26	2	- 150cm (60in), Black
55 40 27	2	- 100cm (40in), Beige-Black
55 40 28	2	- 100cm (40in), Orange

Specification:

- Electrode cable with Female 1.5mm Touch proof safety connector and snap on head
- For use with button snap type electrodes
- White colored leads are in ideal lengths for Bruxism recordings
- Green colored leads are ideal for the patient ground
- Grey and black colored leads are ideal for LM recordings
- Orange colored leads are ideal for ECG recordings
- The leads with beige colored heads are ideal for pediatrics
- Reusable



Warranty covered for 3 months

Ref No	Unit pr Pack	Description
		Nox Snap-on Double Lead:
55 43 10	1	- 50/100cm (20/40in), Orange
55 43 11	1	- 30/50cm (12/20in), Beige-Orange
55 43 12	1	- 148/150cm (58/60in), Grey
55 43 13	1	- 98/100cm (39/40in), Beige-Grey
55 43 14	1	- 148/150cm (58/60in), Black
55 43 15	1	- 98/100cm (39/40in), Beige-Black
55 43 16	1	- 50/52cm (20/21in), White
55 43 17	1	- 30/32cm (12/13in), Beige-White

Specification

- * Keyhole connector on one end and snap on heads on the other
- For use with button snap type electrodes
- Electrode cable is divided into two separated leads with snap on-heads
- Orange colored cables are ideal for ECG recordings
- Grey and black colored cables are ideal for LM recordings
- White colored cables are ideal for Bruxism recordings
- The leads with Beige colored heads are ideal for pediatrics
- Reusable



Warranty covered for 3 months

Ref No	Unit pr Pack	Description
55 41 09	10	Lead with Attached Electrode, 100cm (40in)
55 41 10	10	Lead with Attached Electrode, 152cm (60in)

Specifications:

- Ideal for EMG or ECG recordings
- The small size makes it easy to use in the facial area and on pediatrics
- ❖ 3.0 x 2.2cm (1.18 x 0.90in) electrode with wet gel
- Silver/silver chloride sensor
- Adhesion ensures that the electrode stays in place
- Female 1.5mm safety connector
- Single use/disposable


Not warranty covered



Ref No	Unit pr Pack	Description
55 41 11	12	Lead with Attached Electrode, 50cm (20in)

Specifications:

- Ideal for EMG recordings
- Skin contact size 28 x 20mm electrode with solid gel
- . The small size makes it easy to use on the facial area and pediatrics
- Transparent backing allows precise placement of sensor
- High quality Ag/AgCl sensor for optimal signal quality
- Female 1.5mm safety connector
- Wound lead wires for easier handling
- Each bag contains 4 x 3 electrodes on plastic film
- Single use/disposable



Specifications:

- The small size makes it easy to use in the facial area
- and on pediatrics
- ❖ 3.0 x 2.2cm (1.18 x 0.90in) snap on electrode with wet gel
- Silver/silver chloride sensor
- Adhesion ensures that the electrode stays in place
- Single use/disposable

Not warranty covered



Ref No	Unit pr Pack	Description
55 42 10	50	Blue Sensor® M Electrode

Specifications:

- ❖ Ideal for EMG or ECG recordings
- ❖ 3.4cm (1.25in) snap on electrode with wet gel
- Silver/silver chloride sensor
- Adhesion ensures that the electrode stays in place
- Single use/disposable



Nox Sensor Kits

Ref No	Unit pr Pack	Description
55 80 10	NA	Nox RIP Starter Kit E (S/M/L)
55 80 11	NA	Nox RIP Starter Kit E (M)

The Starter Kit includes Nox RIP Belts and Nox Cannulas with Luer-lock for 100 studies.

In addition, the Nox RIP abdomen and thorax cables are added *free of charge*.

Nox RIP cables are designed to enable usage of Nox Respiratory Inductance Plethysmography (RIP) belts with 3rd party sleep recording devices. The cables along with Nox RIP Belts enable recording of respiratory effort signals

The Nox RIP cables have been validated for use with Embletta™ PDS and Embletta™ Gold portable sleep diagnostic systems.





55 80 10	Nox RIP Starter Kit E – S/M/L includes:	
56 20 51	Nox RIP Abdomen Cable E – 1 unit	
56 20 52	Nox RIP Thorax Cable E – 1 unit	
55 10 20	Nox RIP belts, Disposable Small – 1 pack / 20 sets	
55 10 30	Nox RIP belts, Disposable Medium – 3 packs / 60 sets	
55 10 40	Nox RIP belts, Disposable Large –1 pack / 20 sets	
55 20 20	Nox Cannula with Luer-lock, Adult – 2 packs / 100 pcs	



55 80 11	Nox RIP Starter Kit E – M includes:	
56 20 51	Nox RIP Abdomen Cable E – 1 unit	
56 20 52	Nox RIP Thorax Cable E – 1 unit	
55 10 30	Nox RIP belts, Disposable Medium – 5 packs / 100 sets	
55 20 20	Nox Cannula with Luer-lock, Adult – 2 packs / 100 pcs	

Warranty information given as single item

Ref No	Unit pr Pack	Description
55 82 10	NA	Nox RIP Belts and Cannula Kit (S/M/L)
55 82 11	NA	Nox RIP Belts and Cannula Kit (M)

The Nox RIP Belts and Cannula Kit includes belts and Nox Cannulas with Filter for 80 studies. In addition, the Nox Abdomen Cable is added *free of charge*.





55 82 10	Nox RIP Belts and Cannula Kit – S/M/L includes:	
56 20 10	Nox Abdomen Cable – 1 unit	
55 10 20	Nox RIP belts, Disposable Small – 1 pack / 20 sets	
55 10 30	Nox RIP belts, Disposable Medium – 2 packs / 40 sets	
55 10 40	Nox RIP belts, Disposable Large –1 pack / 20 sets	
55 20 10	Nox Cannula with Filter, Adult – 2 packs /80 pcs	
55 82 11	Nox RIP Belts and Cannula Kit – M. Includes:	
56 20 10	Nox Abdomen Cable – 1 unit	
55 10 30	Nox RIP belts, Disposable Medium – 4 packs / 80 sets	

Warranty information given as single item

Ref No	Unit pr Pack	Description
55 84 10	NA	Nox A1 Starter Sensor Kit (Adult)
55 84 11	NA	Nox A1 Starter Sensor Kit (Pediatric)
The Nox A1 Starter Kit includes sensors consumables to cover 40 recordings.		

55 84 10	Nox A1 Starter Sensor Kit, Adult includes:
55 20 10	Nox Cannula with Filter, Adult - 1 pack / 40 pcs
55 10 30	Nox RIP Belts Disposable, Medium - 1 pack / 20 sets
55 10 40	Nox RIP Belts Disposable, Large - 1 pack / 20 sets
55 42 09	Blue Sensor N Electrode (Small) - 8 packs / 200 pcs
55 42 10	Blue Sensor M Electrode - 2 packs / 100 pcs
55 41 11	Lead with Attached Electrode, 50cm - 10 packs / 120 pcs
55 50 10	Nuprep ECG & EEG Abrasive Skin Prepping Gel - 3 tubes
55 50 20	Ten20 Conductive EEG Paste - 3 jars
55 50 31	Tensive Adhesive Gel - 12 tubes
55 84 11	Nox A1 Starter Sensor Kit, Pediatric includes:
55 21 51	Cannula with Luer-lock, Pediatric - 2 packs / 50 pcs
55 21 10	Nox Filter Tube Connector - 1 pack / 50 pcs
55 10 10	Nox RIP Belts Disposable, Pediatric - 1 pack / 20 sets
55 10 20	Nox RIP Belts Disposable, Small - 1 pack / 20 sets
56 21 11	Nox A1 EEG Head Cable, 70cm Pediatric - 1 set
55 43 11	Nox Snap on Double - Lead Wire, 30/50cm Beige - Orange - 1 unit
55 43 13	Nox Snap on Double - Lead Wire, 98/100cm Beige - Grey - 1 unit
55 43 15	Nox Snap on Double - Lead Wire, 98/100cm Beige - Black - 1 unit
55 42 09	Snap on Electrodes, Small size - 12 packs / 300 pcs
55 41 11	Lead with Attached Electrode, 50cm - 10 packs / 120 pcs
55 30 10	WristOx2 Soft Sensor (8000SS-W02), Small - 1 unit
55 50 10	Nuprep ECG & EEG Abrasive Skin Prepping Gel - 3 tubes
55 50 20	Ten20 Conductive EEG Paste - 3 jars
55 50 31	Tensive Adhesive Gel - 12 tubes

Warranty information given as single item

Gels & Pastes

Ref No	Unit pr Pack	Description
55 50 10	3	Nuprep Skin Prep Gel

Specifications:

- A mild abrasive prepping gel reduces skin impedance
- Maximum efficiency on test results
- ❖ 114 gr (4oz) tube. EEG, EMG, and ECG prepping gel
- ❖ Sold in packs of 3 tubes



Not warranty covered

Ref No	Unit pr Pack	Description
55 50 20	3	Ten20 Conductive EEG Paste

Specifications:

- Adhesive paste which holds electrodes in place while allowing the transmittance of electrical signals
- Washable and non-drying
- 114 gr (4oz) jars
- Sold in packs of 3 jars

Not warranty covered

Ref No	Unit pr Pack	Description
55 50 31	12	Tensive Conductive Adhesive Gel

Specifications:

- Combines the proper resistive, cohesive and adhesive characteristics, necessary for accurate recording
- Water soluble, easily removed with water
- ❖ 50 gr per tube
- Sold in packs of 12 tubes



Not warranty covered

Cleaning

Ref No	Unit pr Pack	Description
55 90 10	1	Super Sani-Cloth Plus Disinfection Wipes

Specifications:

- Disposable disinfection wipes for medical devices
- Sani-Cloth is contraindicated for use as a terminal sterile/high level disinfectant on any surfaces



Not warranty covered

Ref No	Unit pr Pack	Description
55 90 11	1	Sani-Cloth AF Disinfection Wipes

Specifications:

- Disposable disinfection wipes for non-invasive medical devices
- Ideal for cleaning and disinfecting around patients and staff



Not warranty covered

SYSTEM COMPONENTS

Ref No	Unit pr Pack	Description
56 20 10	1	Nox Abdomen Cable
Connects the Al	bdomen RIP belt to t	the Nox recording devices.

Warranty covered for 6 months

Ref No	Unit pr Pack	Description
56 20 12	1	Analog DC Extension Cable (Nox C1)

Allows users to extend the analog inputs by 1.5 m to facilitate connections to 3rd party sensors and devices.

Warranty covered for 12 months

Ref No	Unit pr Pack	Description
56 20 13	1	Serial Cable (Nox C1)

Allows users to connect serial outputs to the serial ports on the back of the Nox C1 Access Point. The package also contains a Null Modem and a gender changer for the possibility to connect any DB9 serial connector. The package contains 3.5mm Male to DB9 Female Serial Cable (2.0m), Null Modem and a gender changer.

Warranty covered for 12 months

Ref No	Unit pr Pack	Description
56 20 14	1	Analog DC Splitter Cable (Nox C1)

Plugs into the DC analog inputs on the Nox C1 to enable individual access to each channel of the stereo analog inputs on the front of the Nox C1.

Warranty covered for 12 months

Ref No	Unit pr Pack	Description
56 20 51	1	Nox RIP Cable E, Abdomen
56 20 52	1	Nox RIP Cable E, Thorax

Nox RIP cables E are designed to enable usage of Nox Respiratory Inductance Plethysmography (RIP) belts with 3rd party sleep recording devices. The cables along with Nox RIP Belts enable recording of respiratory effort signals. The Nox RIP cables have been validated for use with Embletta[™] PDS and Gold portable sleep diagnostic systems.



Warranty covered for 6 months

Ref No	Unit pr Pack	Description	
56 20 50	1	Nox RIP Cable Kit E	
A kit containing	A kit containing RIP cables E.		
Includes:	Includes:		
56 20 51	Nox RIP Cable E, Abdomen – 1 unit		
56 20 52	Nox RIP Cable E, Thorax – 1 unit		

Warranty covered for 6 months

Ref No	Unit pr Pack	Description
56 21 10	1	Nox A1 EEG Head Cable, Adult (90 cm (35 in))
56 21 11	1	Nox A1 EEG Head Cable, Pediatric (70 cm (28 in))

Specifications:

- One end is snapped on a ground electrode fastened on patient's forehead
- Other end is 10 unipolar EEG channels and one ground channel that connects to the Nox A1
- Two Nox A1 EEG 5 Lead Gold Electrode Cables connect to the cable via mini USB



Warranty covered for 6 months

Ref No	Unit pr Pack	Description
56 90 10	1	Nox Service Kit
A kit containing replacement parts for the Nox recording devices. Includes:		
56 20 10	Nox Abdomen Cabl	e – 1 unit
56 90 11	Nox Battery Lid – B	lack The state of
56 90 13	Nox Clip Strap – 1 set / 2 clips	

Warranty information given as single item

Ref No	Unit pr Pack	Description
56 90 11	1	Nox Battery Lid (T3/A1)
Replacement Battery Lid for the Nox		x recording devices.

Not warranty covered

Ref No	Unit pr Pack	Description
56 90 13	1	Nox Clip Strap, 2 pcs
Replacement Clips for the Nox record		rding devices.

Not warranty covered

Ref No	Unit pr Pack	Description
56 90 18	1	WristOx2 3150 Battery Lid
Replacement B	attery Lid for the No	nin WristOx2, Model 3150

Not warranty covered

Ref No	Unit pr Pack	Description
56 80 10	1	Nox T3 Carry Case
Replacement	Carry Case for the No	ox T3 System **Red Tredical*** **Table Tredical*** **Table Tredical** **Table Tred

Not warranty covered

Ref No	Unit pr Pack	Description
56 80 11	1	Nox A1 Carry Case
Replacement C	Carry Case for the No	ox A1 System

Not warranty covered

Ref No	Unit pr Pack	Description
56 90 14	1	Nox Lid key
Key to open the Nox device's battery Lid.		

Not warranty covered

Ref No	Unit pr Pack	Description
56 20 11	1	Nox Mini USB Cable
Used to connect the Nox recording devices to a computer. With standard USB on one end and mini USB on the other end.		·

Not warranty covered

Ref No	Unit pr Pack	Description
56 40 42	1	WristOx2 3150 Wristband

Specifications:

- Wristband for the Nonin 3150 wrist pulse oximeter
- Comfortable for both patient and clinician
- Easy to adjust

Not warranty covered

Ref No	Unit pr Pack	Description
56 40 50	250	WristOx2 3150 Wristband, Disposable

Specifications:

- Single use wristband for the Nonin 3150 wrist pulse oximeter
- Attaches the oximeter to patient for Chain of Custody
- Easy to adjust

Not warranty covered

Ref No	Unit pr Pack	Description
56 30 91	4	MAHA Powerex Rechargeable 2700mAh Batteries

Specifications:

- High quality rechargeable batteries.
- ❖ Nickel-metal hydride (NiMH) chemistry
- 4 batteries to a pack.
- 1.2V charge and 2700mAh capacity
- Use with 56 30 90 Battery Charger MAHA

Not warranty covered

Ref No	Unit pr Pack	Description
56 30 90	1	MAHA Powerex Battery Charger MH-C801D

Specifications:

- The battery charger Nox Medical recommends
- ❖ Eight Cell 1-Hr PRO AA/AAA Charger
- LCD Display
- Worldwide heavy-duty power adapter

AMARIAN POR PROPERTY AND PROPER

Warranty covered for 2 years

All information contained in this catalog is subject to change without notice.

Nox Medical is not responsible for any loss which results from any error in the product code or identification contained herein.

If you have any comments about our products and accessories, please help us to make our products even better by calling us or sending an e-mail: support@noxmedical.com.