

# Nox Product Catalog

LBL-0102-REV09



# nox medical

## Contact

Nox Medical USA  
5000 Research Ct  
30024 Suwanee, GA  
United States

Tel: (844) 475 9979  
Fax: (678) 669 2274

[sales@noxmedical.com](mailto:sales@noxmedical.com)

[www.noxmedical.com](http://www.noxmedical.com)

**Nox Medical** is a leading provider in the field of sleep diagnostic solutions that build on decades of experience in providing industry standard solutions for sleep monitoring and diagnostics as well as bleeding edge technology. Our main goal is to bring to market a new generation of products to support the growth of sleep medicine.

**Nox A1 and Nox T3**, our flagship products are revolutionary sleep monitors, based on the latest innovations in wireless, memory, sensors and electronic technology. These recording devices are compact, lightweight and easy to use.

**Nox Recording Devices** have been engineered and designed to record and analyze sleep disorders in children as well as adults. With the monitors we have managed to remove as much sensor leads as possible since the patient comfort is the key element for good sleep recording.

Combining **Nox Recording Devices** with the powerful Noxturnal software unleashes the full potential of the Nox systems. Offering automatic analysis, scoring and reporting, Noxturnal greatly simplifies the task of preparing a sleep study for the correct interpretation by the physicians.

**Nox Medical** will always aim to pro-actively satisfy its customers' needs. The customer service representatives are trained to handle customer requests promptly and professionally. Personalized customer service, along with prompt delivery, are major priorities in keeping commitments to customers.


# nox medical

## Contents

NOX SYSTEMS.....	3
Nox T3s® System with WristOx2, US.....	3
Nox A1® PSG System with WristOx2, US.....	4
SOFTWARE.....	5
Licenses.....	5
Noxturnal A1 PSG File Format License.....	5
Noxturnal A1 Online Acquisition License.....	5
Noxturnal Video Acquisition License.....	5
Nox C1 DC Channel License.....	5
Noxturnal EBM PG File Format License.....	5
Noxturnal EDF File Format License.....	5
SYSTEM EXTENSIONS.....	6
Nox C1 Kit.....	6
WristOx2™ Kit, Model 3150 BLE.....	7
Nox W7 Link Kit, S.....	7
Nox W7 Link Kit, R.....	8
CONSUMABLES.....	8
Nox RIP Belts.....	8
Cannulas.....	9
Airflow Sensors.....	10
Oximeter Sensors.....	11
Leads and Electrodes.....	14
Nox Sensor Kits.....	17
Gels & Pastes.....	18
Cleaning.....	19
SYSTEM COMPONENTS.....	19


# nox medical

## NOX SYSTEMS

Ref No	Unit pr Pack	Description
51 11 12	1	Nox T3s® System with WristOx2, US
		<p>The Nox T3s System is a high-end respiratory sleep diagnostic system. It comes with the Noxturnal analysis software. The Nox T3s is designed for both adult and pediatric patients.</p> 
The Nox T3s system includes:		
56 11 11		Nox T3s Recorder US
56 12 12		Nox Abdomen Cable, s
55 10 30		Nox RIP belts, Disposable M – 2 sets
55 20 10		Nox Cannula with Filter – 2pieces
56 20 16		Nox USB-C Cable
56 80 12		Nox Carry Case, s
56 90 14		Nox Lid key
54 10 12		Nonin 3150 WristOx2 BLE Pack, includes
55 30 20		WristOx2 Soft Sensor, medium size
56 40 42		SPO2 3150 Wrist Band
91 00 08		CD-ROM of the Operators Manual
NA		Nox T3s System Leaflet
91 00 02		AA Battery – 2 units
91 00 01		AAA Battery – 2 units

*Warranty covered for 2 years (applies only to the main hardware units)*

# nox medical

Ref No	Unit pr Pack	Description
51 35 10	1	Nox A1® PSG System with WristOx2, US
<p>The Nox A1 System is an ambulatory, polysomnography system, fully compliant to the AASM standards. The Nox A1 opens a new era in sleep diagnostics, designed with flexibility, study integrity and patient comfort in mind.</p>		
<p>The Nox A1 system includes:</p>		

56 11 20	Nox A1 US Recorder
56 21 10	Nox A1 EEG Head Cable 90 cm (35 in), Adult
55 44 11	Nox A1 EEG 5 Lead Gold Electrode Cable - 2 pieces
56 20 10	Nox Abdomen Cable
95 10 X2	Nox RIP belts, Disposable (Sizes: P, S, M, L, XL - 1 set each)
55 20 10	Nox Cannula with Filter – 2 units
55 43 10	Nox Double Snap on Lead Orange 50/100 cm (20/40 in)
55 43 12	Nox Double Snap on Lead Grey 148/150 cm (58/60 in)
55 43 14	Nox Double Snap on Lead Black 148/150 cm (58/60 in)
56 20 11	Nox USB Cable
91 00 06	Nox A1 Carry Case
56 90 14	Nox Lid key
53 90 12	Noxturnal US CD
54 10 10	Nonin 3150 WristOx2™ Pack, includes
55 30 20	WristOx2 Soft Sensor, medium size
56 40 42	SPO2 3150 Wrist Band
91 00 08	CD-ROM of the Operators Manual
91 30 06	AA Battery – 2 units
91 00 01	AAA Battery – 4 units

*Warranty covered for 2 years (applies only to the main hardware units)*

# nox medical

## SOFTWARE

### Licenses

Ref No	Unit pr Pack	Description
53 40 10	1	Noxturnal A1 PSG File Format License
<p>This license allows you to review Nox A1 sleep studies with Noxturnal (incl. video playback). Without this license you will not be able to open regular PSG studies using Noxturnal. This license also enables the preparation and the download for ambulatory Nox A1 PSG studies.</p>		

Ref No	Unit pr Pack	Description
53 60 10	1	Noxturnal A1 Online Acquisition License
<p>This license allows you to use Noxturnal to perform Nox A1 PSG online recordings. At the same time the license allows you to review Nox A1 sleep studies with Noxturnal (incl. video playback). This also enables the preparation and the download for ambulatory Nox A1 PSG studies.</p>		

Ref No	Unit pr Pack	Description
53 60 11	1	Noxturnal Video Acquisition License
<p>This license enables Noxturnal to do video acquisition during online recordings.</p>		

Ref No	Unit pr Pack	Description
53 60 13	1	Nox C1 DC Channel License
<p>This license enables the DC channels on the Nox C1 Access Point. They will allow you to connect other auxiliary devices that have DC output to the Nox C1 Access Point.</p>		


Ref No	Unit pr Pack	Description
53 61 10	1	Noxturnal EBM PG File Format License
<p>This license enables Noxturnal to read and review polygraph recordings in the Embla (EBM) file format.</p>		

Ref No	Unit pr Pack	Description
53 61 11	1	Noxturnal EDF File Format License
<p>This license enables Noxturnal to read and review recordings in the EDF file format.</p>		

Ref No	Unit pr Pack	Description
53 61 12	1	Noxturnal EBM PSG File Format License
This license enables Noxturnal to read and review PSG recordings in the Embla (EBM) file format.		


Ref No	Unit pr Pack	Description
53 61 13	1	Noxturnal SomnoStar File Format License
This license enables Noxturnal to read and review PSG recordings in the SomnoStar file format.		

## SYSTEM EXTENSIONS


Ref No	Unit pr Pack	Description
54 40 21	1	Nox C1 Kit, US
<p>The Nox C1 Access Point is a wireless access point that enables measurement, receiving and streaming of physiological signals during sleep. The Nox C1 is intended to be used with the Nox A1 System to enable online functionality of the system and allow for up to 12 auxiliary DC input channels.</p> <p>Includes:</p> <ul style="list-style-type: none"> <li>❖ Nox C1 Access Point</li> <li>❖ Nox C1 Power Supply</li> <li>❖ Nox C1 Manual</li> </ul>		
		

*Warranty covered for 2 years (applies only to the main hardware unit)*

# nox medical

Ref No	Unit pr Pack	Description
54 10 12	1	WristOx2™ Kit, Model 3150 BLE
<p>Engineered with Nonin Medical's proven PureSAT SPO2 technology and updated with additional performance and reporting features, the WristOx2™ model 3150 is the most advanced wrist-worn pulse oximeter available. The Nonin 3150 BLE is an integrated part of the Nox sleep recording devices and provides Pulse Rate and Blood Oxygen Saturation signals.</p> 		
<p>Includes:</p> <ul style="list-style-type: none"> <li>❖ WristOx2 Soft Sensor, medium size</li> <li>❖ SPO2 3150 Wrist Band</li> <li>❖ CD-ROM of the Operators Manual</li> </ul>		

*Warranty covered for 2 years*

Ref No	Unit pr Pack	Description
54 40 10	1	Nox W7 Link Kit, S
<p>The Nox W7 Link Kit - S uses Bluetooth technology to allow data transfer between the SenTec Digital Monitor and the Nox A1/T3* recorder for ambulatory studies.</p> 		
<p>Includes:</p> <ul style="list-style-type: none"> <li>❖ Nox W7 Link</li> <li>❖ Gender Changer</li> <li>❖ Nox W7 Power Adapter Kit</li> <li>❖ Nox Mini USB Cable</li> <li>❖ Leaflet</li> </ul>		

*Warranty covered for 1 year*

*\*Product is not supported by the Nox T3s*




# nox medical

Ref No	Unit pr Pack	Description
54 40 11	1	Nox W7 Link Kit, R

The Nox W7 Link Kit - R uses Bluetooth technology to allow data transfer between supported auxiliary devices such as the ResMed S9, Nonin RespSense Capnograph and selected Radiometer devices and the Nox A1/T3\* recorder for ambulatory studies.

Includes:

- ❖ Nox W7 Link
- ❖ Gender Changer
- ❖ Nox W7 Power Adapter Kit
- ❖ Nox Mini USB Cable
- ❖ Leaflet



*Warranty covered for 1 year*

*\*Product is not supported by the Nox T3s*

## CONSUMABLES

### Nox RIP Belts

Ref No	Sets pr Pack	Description
55 10 10	20	Nox RIP Belts Disposable, Pediatric
55 10 20	20	Nox RIP Belts Disposable, Small
55 10 30	20	Nox RIP Belts Disposable, Medium
55 10 40	20	Nox RIP Belts Disposable, Large
55 10 50	14	Nox RIP Belts Disposable, Extra Large

#### Specifications:

- ❖ Nox RIP Belts are very accurate in determining the effort of breathing
- ❖ To be used with both Nox A1 and Nox T3 Systems
- ❖ High quality signals
- ❖ Super stretchable elastics
- ❖ Comfortable for patient and clinician
- ❖ Easy to adjust
- ❖ Single use/disposable



*Not warranty covered*

# nox medical

## Cannulas

Ref No	Unit pr Pack	Description
55 20 10	40	Nox Cannula with Filter, Adult
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ The filter fits directly into the pressure connector on Nox recording devices</li> <li>❖ Total length is 90cm/35in</li> <li>❖ Air flow pressure</li> <li>❖ Single use/disposable</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 20 20	50	Nox Cannula with Luer-lock, Adult
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Male Luer Connector</li> <li>❖ Total length is 90cm/35in</li> <li>❖ Air flow pressure</li> <li>❖ Single use/disposable</li> </ul>		



*Not warranty covered*

55 21 51	25	Cannula with Luer-lock, Pediatric
<p>Specifications</p> <ul style="list-style-type: none"> <li>❖ Male Luer Connector</li> <li>❖ Total length is 210cm/84in</li> <li>❖ Gas sampling line</li> <li>❖ Air flow pressure</li> <li>❖ Single use/disposable</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 21 10	50	Nox Filter Tube Connector
<p>Connector between Nox Recording device and Nox Cannula with Luer-lock or Mask tubing.</p>		



*Not warranty covered*

# nox medical

## Airflow Sensors

Ref No	Unit pr Pack	Description
55 22 30	1	Thermal Flow Sensor, Reusable (Adult)
Specifications: <ul style="list-style-type: none"> <li>❖ Key Connector for the Nox A1 and Nox T3s</li> <li>❖ Thermistor Flow Sensor</li> <li>❖ Comfortable, adjustable and easy patient application</li> </ul>		



*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
55 23 20	50	Mask tubing 183cm (72in) Female x Male
The tube connects between the Nox Filter Tube Connector (REF 55 21 10) and a CPAP Mask or Pneumo Flow Sensor (REF 55 28 10)		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 28 10	1	Pneumo Flow Sensor
The Pneumo Flow Sensor can be used to connect a flow generator and the differential pressure port on the Nox C1 Access Point (REF 54 40 20).		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 28 11	1	Pneumo Flow Straight Connector
Specifications: <ul style="list-style-type: none"> <li>❖ Replacement Connector for the Pneumo Flow Sensor</li> <li>❖ Connects to the flow generator</li> <li>❖ Size 15mm ID x 22mm ID</li> </ul>		



*Not warranty covered*

# nox medical

Ref No	Unit pr Pack	Description
55 28 12	1	Pneumo Flow Straight Adapter
Specifications: <ul style="list-style-type: none"> <li>❖ Replacement Adapter for the Pneumo Flow Sensor</li> <li>❖ Connects to the mask tube</li> <li>❖ Size 22mm OD x 22mm ID x 15mm ID</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 21 15	50	PT1 Hydrophobic Filters
Specification: <ul style="list-style-type: none"> <li>❖ Two filters are attached to the two tubes located on the Pneumo Flow Sensor (Ref 55 28 10)</li> <li>❖ Connects to the input of the Pressure Transducer Sensor</li> <li>❖ Single use</li> </ul>		



*Not warranty covered*

## Oximeter Sensors

Ref No	Unit pr Pack	Description
55 30 10	1	WristOx2 Soft Sensor, Small
55 30 20	1	WristOx2 Soft Sensor, Medium
55 30 30	1	WristOx2 Soft Sensor, Large
Specifications: <ul style="list-style-type: none"> <li>❖ Preferred application: Fingers and toes</li> <li>❖ Reusable</li> </ul>		



*Warranty covered for 2 years*

# nox medical

Ref No	Unit pr Pack	Description
55 31 20	1	Flex Sensor with flexiwraps, Infant
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Patient Range 2-20kg (4-44lbs)</li> <li>❖ Preferred application: Toe, thumb, medial aspect of hand</li> <li>❖ 1 meter cable</li> <li>❖ Reusable, made of durable silicone</li> <li>❖ Packed with 25 disposable FlexiWraps for infants</li> </ul> <p>Note: Flex Sensors 3150I Sensor Adapter Cable is needed, Ref No 55 39 10.</p>		



*Warranty covered for 3 months*

Ref No	Unit pr Pack	Description
55 31 30	1	WristOx2 Flex Sensor with flexiwraps, Adult
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Patient Range &gt; 20kg (&gt; 44lbs)</li> <li>❖ Preferred application: Index, middle or ring fingers</li> <li>❖ Reusable, made of durable silicone</li> <li>❖ 30cm cable</li> <li>❖ Ideal for numerous applications, including extended monitoring and sleep studies</li> <li>❖ Packed with 25 disposable FlexiWraps for adults</li> </ul>		




*Warranty covered for 3 months*

Ref No	Unit pr Pack	Description
55 31 21	25	FlexiWraps, Infant
55 31 31	25	FlexiWraps, Adult
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ FlexiWraps to use with Nonin's Flex Sensors</li> <li>❖ Single use/disposable</li> </ul>		



*Not warranty covered*

# nox medical

Ref No	Unit pr Pack	Description
55 39 10	1	WristOx2 3150 Sensor Adapter Cable
<p>All Nonin sensors that are not WristOx<sub>2</sub> sensors can be used with WristOx<sub>2</sub><sup>TM</sup>, Model 3150 with this adapter cable.</p>		

Warranty covered for 3 months

# nox medical


## Leads and Electrodes

Ref No	Unit pr Pack	Description
55 44 11	1	Nox A1 EEG 5 Lead Gold Electrode Cable
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Five different colored EEG leads with gold plated cup electrodes</li> <li>❖ The colors of the leads are: <ul style="list-style-type: none"> <li>- Green (EOG)</li> <li>- Blue (F3/F4)</li> <li>- Yellow (C3/C4)</li> <li>- Grey (O1/O2)</li> <li>- Red (A1/A2)</li> </ul> </li> <li>❖ The gold cup electrodes are intended to enable recording of EEG/EOG signals during sleep studies</li> <li>❖ 10mm diameter gold plated electrode</li> <li>❖ The electrodes are intended for both pediatric and adult patients</li> <li>❖ Reusable</li> </ul>		



Warranty covered for 6 months

Ref No	Unit pr Pack	Description
55 42 20	10	Neuroline Cup Disposable EEG Electrodes
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ 100 cm</li> <li>❖ Female 1.5mm safety connector</li> <li>❖ Advanced silver/silver chloride sensor ensures uniform high signal quality</li> <li>❖ Pre-attached tangle-free lead wires</li> <li>❖ Color coded lead wires for easy handling</li> <li>❖ No risk of cross-contamination</li> </ul>		



Not warranty covered

Ref No	Unit pr Pack	Description
		Nox Snap-on Lead:
55 40 20	2	- 50cm (20in), White
55 40 21	2	- 30cm (12in), Beige-White
55 40 22	1	- 100cm (40in), Green
55 40 23	1	- 50cm (20in), Beige-Green
55 40 24	2	- 150cm (60in), Grey

# nox medical

55 40 25	2	- 100cm (40in), Beige-Grey
55 40 26	2	- 150cm (60in), Black
55 40 27	2	- 100cm (40in), Beige-Black
55 40 28	2	- 100cm (40in), Orange

## Specification:

- ❖ Electrode cable with Female 1.5mm Touch proof safety connector and snap on head
- ❖ For use with button snap type electrodes
- ❖ White colored leads are in ideal lengths for Bruxism recordings
- ❖ Green colored leads are ideal for the patient ground
- ❖ Grey and black colored leads are ideal for LM recordings
- ❖ Orange colored leads are ideal for ECG recordings
- ❖ The leads with beige colored heads are ideal for pediatrics
- ❖ Reusable



*Warranty covered for 3 months*

Ref No	Unit pr Pack	Description
		Nox Snap-on Double Lead:
55 43 10	1	- 50/100cm (20/40in), Orange
55 43 11	1	- 30/50cm (12/20in), Beige-Orange
55 43 12	1	- 148/150cm (58/60in), Grey
55 43 13	1	- 98/100cm (39/40in), Beige-Grey
55 43 14	1	- 148/150cm (58/60in), Black
55 43 15	1	- 98/100cm (39/40in), Beige-Black
55 43 16	1	- 50/52cm (20/21in), White
55 43 17	1	- 30/32cm (12/13in), Beige-White

## Specification

- ❖ Keyhole connector on one end and snap on heads on the other
- ❖ For use with button snap type electrodes
- ❖ Electrode cable is divided into two separated leads with snap on-heads
- ❖ Orange colored cables are ideal for ECG recordings
- ❖ Grey and black colored cables are ideal for LM recordings
- ❖ White colored cables are ideal for Bruxism recordings
- ❖ The leads with Beige colored heads are ideal for pediatrics
- ❖ Reusable



*Warranty covered for 3 months*



# nox medical

Ref No	Unit pr Pack	Description
55 41 11	12	Lead with Attached Electrode, 50cm (20in)
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Ideal for EMG recordings</li> <li>❖ Skin contact size 28 x 20mm electrode with solid gel</li> <li>❖ The small size makes it easy to use on the facial area and pediatrics</li> <li>❖ Transparent backing allows precise placement of sensor</li> <li>❖ High quality Ag/AgCl sensor for optimal signal quality</li> <li>❖ Female 1.5mm safety connector</li> <li>❖ Wound lead wires for easier handling</li> <li>❖ Each bag contains 4 x 3 electrodes on plastic film</li> <li>❖ Single use/disposable</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 42 09	25	Blue Sensor® N Electrode (Small)
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ The small size makes it easy to use on the facial area and pediatrics</li> <li>❖ 3.0 x 2.2cm (1.18 x 0.90in) snap on electrode with wet gel</li> <li>❖ Silver/silver chloride sensor</li> <li>❖ Adhesion ensures that the electrode stays in place</li> <li>❖ Single use/disposable</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 42 10	50	Blue Sensor® M Electrode
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Ideal for EMG or ECG recordings</li> <li>❖ 3.4cm (1.25in) snap on electrode with wet gel</li> <li>❖ Silver/silver chloride sensor</li> <li>❖ Adhesion ensures that the electrode stays in place</li> <li>❖ Single use/disposable</li> </ul>		



*Not warranty covered*

# nox medical

## Nox Sensor Kits

Ref No	Unit pr Pack	Description
55 84 10	NA	Nox A1 Starter Sensor Kit (Adult)
The Nox A1 Starter Kit includes sensors consumables to cover 40 recordings.		

<b>55 84 10</b>	<b>Nox A1 Starter Sensor Kit, Adult includes:</b>	
55 20 10	Nox Cannula with Filter, Adult - 1 pack / 40 pcs	
55 10 30	Nox RIP Belts Disposable, Medium - 1 pack / 20 sets	
55 10 40	Nox RIP Belts Disposable, Large - 1 pack / 20 sets	
55 42 09	Blue Sensor N Electrode (Small) - 8 packs / 200 pcs	
55 42 10	Blue Sensor M Electrode - 2 packs / 100 pcs	
55 41 11	Lead with Attached Electrode, 50cm - 10 packs / 120 pcs	
55 50 10	Nuprep ECG & EEG Abrasive Skin Prepping Gel - 3 tubes	
55 50 20	Ten20 Conductive EEG Paste - 3 jars	
55 50 31	Tensive Adhesive Gel - 12 tubes	

*Warranty information given as single item*

# nox medical

## Gels & Pastes

Ref No	Unit pr Pack	Description
55 50 10	3	Nuprep Skin Prep Gel
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ A mild abrasive prepping gel reduces skin impedance</li> <li>❖ Maximum efficiency on test results</li> <li>❖ 114 gr (4oz) tube. EEG, EMG, and ECG prepping gel</li> <li>❖ Sold in packs of 3 tubes</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 50 20	3	Ten20 Conductive EEG Paste
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Adhesive paste which holds electrodes in place while allowing the transmittance of electrical signals</li> <li>❖ Washable and non-drying</li> <li>❖ 114 gr (4oz) jars</li> <li>❖ Sold in packs of 3 jars</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 50 31	12	Tensive Conductive Adhesive Gel
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Combines the proper resistive, cohesive and adhesive characteristics necessary for accurate recording</li> <li>❖ Water soluble, easily removed with water</li> <li>❖ 50 gr per tube</li> <li>❖ Sold in packs of 12 tubes</li> </ul>		



*Not warranty covered*


# nox medical

## Cleaning

Ref No	Unit pr Pack	Description
55 90 12	1	Sani-Cloth Plus Germicidal Disposable Cloth
Specifications:		
<ul style="list-style-type: none"><li>❖ Germicidal disposable cloths for medical devices</li><li>❖ EPA approved</li></ul>		
		

*Not warranty covered*

## SYSTEM COMPONENTS

Ref No	Unit pr Pack	Description
56 20 10	1	Nox Abdomen Cable
Connects the Abdomen RIP belt to the Nox Nox A1 and T3 recording devices.		
		

*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
56 12 12	1	Nox Abdomen Cable, s
Connects the Abdomen RIP belt to the Nox T3s recording devices.		

*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
56 20 12	1	Analog DC Extension Cable (Nox C1)
Allows users to extend the analog inputs by 1.5 m to facilitate connections to 3 <sup>rd</sup> party sensors and devices.		

*Warranty covered for 12 months*


# nox medical

Ref No	Unit pr Pack	Description
56 20 13	1	Serial Cable (Nox C1)
<p>Allows users to connect serial outputs to the serial ports on the back of the Nox C1 Access Point. The package also contains a Null Modem and a gender changer for the possibility to connect any DB9 serial connector. The package contains 3.5mm Male to DB9 Female Serial Cable (2.0m), Null Modem and a gender changer.</p>		

*Warranty covered for 12 months*

Ref No	Unit pr Pack	Description
56 20 14	1	Analog DC Splitter Cable (Nox C1)
<p>Plugs into the DC analog inputs on the Nox C1 to enable individual access to each channel of the stereo analog inputs on the front of the Nox C1.</p>		

*Warranty covered for 12 months*

Ref No	Unit pr Pack	Description
56 20 51	1	Nox RIP Cable E, Abdomen
56 20 52	1	Nox RIP Cable E, Thorax
<p>Nox RIP cables E are designed to enable usage of Nox Respiratory Inductance Plethysmography (RIP) belts with 3<sup>rd</sup> party sleep recording devices. The cables along with Nox RIP Belts enable recording of respiratory effort signals. The Nox RIP cables have been validated for use with Embletta™ PDS and Gold portable sleep diagnostic systems.</p>		

*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
56 20 50	1	Nox RIP Cable Kit E
<p>A kit containing RIP cables E.</p> <p>Includes:</p>		
56 20 51	Nox RIP Cable E, Abdomen – 1 unit	
56 20 52	Nox RIP Cable E, Thorax – 1 unit	

*Warranty covered for 6 months*

# nox medical

Ref No	Unit pr Pack	Description
56 21 10	1	Nox A1 EEG Head Cable, Adult (90 cm (35 in))
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ One end is snapped on a ground electrode fastened on patient's forehead</li> <li>❖ Other end is 10 unipolar EEG channels and one ground channel that connects to the Nox A1</li> <li>❖ Two Nox A1 EEG 5 Lead Gold Electrode Cables connect to the cable via mini USB</li> </ul>		



*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
56 90 10	1	Nox Service Kit
<p>A kit containing replacement parts for the Nox recording devices.</p> <p>Includes:</p> <ul style="list-style-type: none"> <li>• 56 20 10 - Nox Abdomen Cable – 1 unit</li> <li>• 56 90 11 - Nox Battery Lid</li> <li>• 56 90 13 - Nox Clip Straps</li> </ul>		



*Warranty information given as single item*

Ref No	Unit pr Pack	Description
56 90 15	1	Nox Service Kit, s
<p>A kit containing replacement parts for the Nox recording devices.</p> <p>Includes:</p> <ul style="list-style-type: none"> <li>• 56 12 12 - Nox Abdomen Cable, s – 1 unit</li> <li>• 56 90 20 - Nox Battery Lid, s</li> <li>• 56 90 21 - Nox Clip Strap, s</li> </ul>		




*Warranty information given as single item*

Ref No	Unit pr Pack	Description
56 90 11	1	Nox Battery Lid (T3/A1)
<p>Replacement Battery Lid for the Nox T3 and Nox A1 recording devices.</p>		




*Not warranty covered*


# nox medical

Ref No	Unit pr Pack	Description
56 90 20	1	Nox Battery Lid, s
Replacement Battery Lid for the Nox T3s recording device.		


*Not warranty covered*

Ref No	Unit pr Pack	Description
56 90 13	1	Nox Clip Strap, 2 pcs
Replacement Clips for the Nox recording devices.		


*Not warranty covered*

Ref No	Unit pr Pack	Description
56 90 21	1	Nox Clip Straps, s
Replacement Clips for the Nox T3s recording devices.		

*Not warranty covered*


Ref No	Unit pr Pack	Description
56 90 18	1	WristOx2 3150 Battery Lid
Replacement Battery Lid for the Nonin WristOx2, Model 3150.		

*Not warranty covered*


Ref No	Unit pr Pack	Description
56 80 10	1	Nox T3 Carry Case
Replacement Carry Case for the Nox T3 System.		

*Not warranty covered*


# nox medical

Ref No	Unit pr Pack	Description
56 80 11	1	Nox A1 Carry Case
		Replacement Carry Case for the Nox A1 System.
		


*Not warranty covered*

Ref No	Unit pr Pack	Description
56 80 12	1	Nox Carry Case, s
		Replacement Carry Case for the Nox T3s
		

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 90 14	1	Nox Lid key
		Key to open the Nox device ´s battery Lid.
		

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 20 11	1	Nox Mini USB Cable
		Used to connect the Nox recording devices to a computer. With standard USB on one end and mini USB on the other end.
		

*Not warranty covered*



# nox medical

Ref No	Unit pr Pack	Description
56 20 16	1	Nox USB-C Cable

Used to connect the Nox T3s recording device to a computer.  
With standard USB on one end and USB-C on the other end.

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 40 42	1	WristOx2 3150 Wristband

Specifications:

- ❖ Wristband for the Nonin 3150 wrist pulse oximeter
- ❖ Comfortable for both patient and clinician
- ❖ Easy to adjust



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 40 50	250	WristOx2 3150 Wristband, Disposable

Specifications:

- ❖ Single use wristband for the Nonin 3150 wrist pulse oximeter
- ❖ Attaches the oximeter to patient for Chain of Custody
- ❖ Easy to adjust

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 30 91	4	MAHA Powerex Rechargeable 2700mAh Batteries

Specifications:

- ❖ High quality rechargeable batteries.
- ❖ Nickel-metal hydride (NiMH) chemistry
- ❖ 4 batteries to a pack
- ❖ 1.2V charge and 2700mAh capacity
- ❖ Use with 56 30 90 Battery Charger MAHA



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 30 92	1	MAHA Powerex Battery Charger MH-C801D

Specifications:

- ❖ The battery charger Nox Medical recommends
- ❖ Eight Cell 1-Hr PRO AA/AAA Charger
- ❖ LCD Display
- ❖ Worldwide heavy-duty power adapter



*Warranty covered for 2 years*

# nox medical

All information contained in this catalog is subject to change without notice.

**Nox Medical** is not responsible for any loss which results from any error in the product code or identification contained herein.

If you have any comments about our products and accessories, please help us to make our products even better by calling us or sending an e-mail: [support@noxmedical.com](mailto:support@noxmedical.com).