

Nox Product Catalog

eFORM-0212-REV17



nox medical

Contact

Nox Medical ehf
Katrínartúni 2
IS – 105 Reykjavík
Iceland
Tel: +(354) 5707170
sales@noxmedical.com
www.noxmedical.com

Nox Medical is a leading provider in the field of sleep diagnostic solutions that build on decades of experience in providing industry standard solutions for sleep monitoring and diagnostics as well as bleeding edge technology. Our main goal is to bring to market a new generation of products to support the growth of sleep medicine.

Nox A1 and Nox T3, our flagship products are revolutionary sleep monitors, based on the latest innovations in wireless, memory, sensors and electronic technology. These recording devices are compact, lightweight and easy to use.

Nox Recording Devices have been engineered and designed to record and analyze sleep disorders in children as well as adults. With the monitors we have managed to remove as much sensor leads as possible since the patient comfort is the key element for good sleep recording.

Combining **Nox Recording Devices** with the powerful Noxturnal software unleashes the full potential of the Nox systems. Offering automatic analysis, scoring and reporting, Noxturnal greatly simplifies the task of preparing a sleep study for the correct interpretation by the physicians.

Nox Medical will always aim to pro-actively satisfy its customers' needs. The customer service representatives are trained to handle customer requests promptly and professionally. Personalized customer service, along with prompt delivery, are major priorities in keeping commitments to customers.

Important! Some products may not be available in all markets. For more information contact sales@noxmedical.com

nox medical

Contents

| | |
|-----------------------------------|----|
| NOX SYSTEMS | 3 |
| Nox T3s® System with WristOx2, CE | 3 |
| Nox A1s® System with WristOx2, CE | 4 |
| SOFTWARE | 5 |
| Licenses | 5 |
| Nox C1 DC Channel License | 5 |
| Noxturnal EDF File Format License | 5 |
| SYSTEM EXTENSIONS | 5 |
| Nox C1s Kit | 5 |
| Bluetooth® 5.0 dongle | 6 |
| WristOx2™ Kit, Model 3150 BLE | 6 |
| Nox SAS Solution | 7 |
| Nox SAS Solution Consumables | 8 |
| Consumables | 8 |
| Nox RIP Belts | 8 |
| Cannulas | 9 |
| Airflow Sensors | 10 |
| Oximeter Sensors | 12 |
| Leads and Electrodes | 15 |
| Gels & Pastes | 18 |
| Cleaning | 20 |
| SYSTEM COMPONENTS | 21 |

nox medical

NOX SYSTEMS

| Ref No | Unit pr Pack | Description |
|------------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 51 10 12 | 1 | Nox T3s® System with WristOx2, CE |
| | | <p>The Nox T3s System is a high-end respiratory sleep diagnostic system. It comes with the Noxturnal analysis software.</p> <p>The Nox T3s is designed for both adult and pediatric patients.</p> |
| | |  |
| The Nox T3s system includes: | | |
| 56 10 11 | | Nox T3s Recorder, CE |
| 56 12 12 | | Nox Abdomen Cable, s |
| 55 10 30 | | Nox RIP belts Disposable, Medium – 2 sets |
| 55 20 10 | | Nox Cannula with Filter – 2 pieces |
| 56 20 16 | | USB-C Cable (USB-A connection to PC) |
| 56 80 12 | | Nox Carry Case |
| 56 90 14 | | Nox Lid key |
| 54 10 12 | | Nonin WristOx2, Model 3150 BLE Pack, includes |
| 55 30 20 | | WristOx2 Soft Sensor, Medium size |
| 56 40 42 | | WristOx2 3150 Wristband |
| 91 00 08 | | CD-ROM of the Operators Manual |
| 53 90 10 | | Noxturnal CD |
| NA | | Nox T3s System Leaflet |
| 91 00 02 | | AA Battery – 2 units |
| 91 00 01 | | AAA Battery – 2 units |

Warranty covered for 2 years (applies only to the main hardware units)

nox medical

| Ref No | Unit pr Pack | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------|
| 51 30 12 | 1 | Nox A1s [®] System with WristOx2, CE |
| <p>The Nox A1s System is an ambulatory, polysomnography system, fully compliant to the AASM standards. The Nox A1s opens a new era in sleep diagnostic, designed with flexibility, study integrity and patient comfort in mind.</p> <p>The Nox A1s system includes:</p> | | |
| | |  |

| | |
|----------|-------------------------------------------------------------|
| 56 14 11 | Nox A1s Recorder, CE |
| 56 21 10 | Nox A1 EEG Head Cable 90 cm (35 in), Adult |
| 55 44 11 | Nox A1 EEG 5 Lead Gold Electrode Cable - 2 pieces |
| 56 12 12 | Nox Abdomen Cable, s |
| 95 10 X2 | Nox RIP belts Disposable (sizes Medium, Large - 1 set each) |
| 55 20 10 | Nox Cannula with Filter – 2 units |
| 55 43 10 | Nox Snap-on Double Lead Orange 50/100 cm (20/40 in) |
| 55 43 12 | Nox Snap-on Double Lead Grey 148/150 cm (58/60 in) |
| 55 43 14 | Nox Snap-on Double Lead Black 148/150 cm (58/60 in) |
| 56 20 16 | USB-C Cable (USB-A connection to PC) |
| 56 80 12 | Nox Carry Case |
| 56 90 14 | Nox Lid key |
| 53 90 10 | Noxturnal CD |
| 54 10 12 | Nonin WristOx2 Kit, Model 3150BLE™ Pack, includes |
| 55 30 20 | WristOx2 Soft Sensor, Medium size |
| 56 40 42 | WristOx2 3150 Wristband |
| 91 00 08 | CD-ROM of the Operators Manual |
| N/A | Nox A1s System Leaflet |
| N/A | Noxturnal App Insert |
| 91 30 06 | AA Lithium Battery – 2 units |
| 91 00 01 | AAA Battery – 2 units |

Warranty covered for 2 years (applies only to the main hardware unit)

nox medical

SOFTWARE

Licenses

| Ref No | Unit pr Pack | Description |
|----------|--------------|---------------------------|
| 53 60 13 | 1 | Nox C1 DC Channel License |

This license enables the DC channels on the Nox C1 Access Point. They will allow you to connect other auxiliary devices that have DC output to the Nox C1 Access Point.

| Ref No | Unit pr Pack | Description |
|----------|--------------|-----------------------------------|
| 53 61 11 | 1 | Noxturnal EDF File Format License |

This license enables Noxturnal to read and review recordings in the EDF file format.

SYSTEM EXTENSIONS

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------|
| 54 40 23 | 1 | Nox C1s Kit |

The Nox C1 Access Point is a wireless access point that together with the Bluetooth[®] 5.0 dongle enables measurement, receiving and streaming of physiological signals during sleep. The Nox C1 is intended to be used with the Nox A1s System to enable online functionality of the system and allow for up to 12 auxiliary DC input channels.

Includes:

- ❖ Nox C1 Access Point
- ❖ Nox C1 Power Supply
- ❖ Nox C1 Manual
- ❖ Bluetooth[®] 5.0 dongle



Warranty covered for 2 years (applies only to the main hardware unit)

nox medical

| Ref No | Unit pr Pack | Description |
|----------|--------------|-----------------------|
| 54 40 30 | 1 | Bluetooth® 5.0 dongle |

The Bluetooth® 5.0 dongle is an essential extension to the Nox C1 Access Point enabling Bluetooth 5.0 connection with the Nox A1s. The Bluetooth® 5.0 dongle is plugged in to one of the two USB ports of the Nox C1.



Warranty covered for 6 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------------------------|
| 54 10 12 | 1 | WristOx2™ Kit, Model 3150 BLE |

Engineered with Nonin Medical’s proven PureSAT SPO2 technology and updated with additional performance and reporting features, the WristOx2™ model 3150 is the most advanced wrist-worn pulse oximeter available. The Nonin 3150 BLE is an integrated part of the Nox sleep recording devices and provides Pulse Rate and Blood Oxygen Saturation signals.



Includes:

- ❖ WristOx2 Soft Sensor, Medium size
- ❖ WristOx2 3150 Wristband
- ❖ CD-ROM of the Operators Manual

Warranty covered for 2 years

nox medical

Nox SAS Solution

| Ref No | Sets pr Pack | Description |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------|
| 56 22 15 | 1 | Nox SAS Head Cable, CE |
| <p>Specifications:</p> <ul style="list-style-type: none"> ❖ The Nox SAS Solution features a new, flexible way to record EEG data during polysomnography sleep studies conducted with the Nox A1s PSG system. ❖ The Nox SAS Solution features a new, flexible way to record EEG data during polysomnography sleep studies conducted with the Nox A1s PSG system. ❖ The patient side has two cables extending from the proxy connector. <ul style="list-style-type: none"> ○ First cable is terminated with two USB-Micro structured connectors intended to be mated with Nox SAS Body Cables (left and right). ○ Second connected cable is terminated with 5 pair of double snap-on sockets that are intended to be connected to five Nox Double Snap Electrodes to record EEG, EOG and EMG. ❖ The proxy connector comments to the unipolar and bipolar channels on the Nox A1s recording device. ❖ Reusable. | |  |

Warranty covered for 6 months

| Ref No | Sets pr Pack | Description |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
| 56 22 14 | 1 | Nox SAS Body Cable, CE (Left) |
| 56 22 13 | 1 | Nox SAS Body Cable, CE (Right) |
| <ul style="list-style-type: none"> ❖ The Nox SAS Body Cable provides a single cable to record ECG and limb EMG with the Nox SAS Solution ❖ The Nox SAS Body Cable comes in two different colours to aid in easier set-up: one for the right side (Blue) and one for the left side (Red). ❖ Reusable | |  |

Warranty covered for 6 months

nox medical

Nox SAS Solution Consumables

| Ref No | Sets pr Pack | Description |
|----------|--------------|---------------------------------------------|
| 55 90 43 | 20 | Nox SAS Electrode Pack (pack of 20 pcs), CE |
| 55 90 31 | 20 | Nox SAS neck band (pack of 20) |
| 55 90 44 | 20 | Nox SAS Disposable Carton (pack of 20) |

- ❖ The Nox SAS Electrode Pack consists of Nox SAS Electrodes, both single snap and double snap, and Nox Adhesive Strips in two lengths. The Nox Electrodes are single use cutaneous electrodes that are applied directly to the subject's intact skin. The Nox Adhesive Strips are intended to secure the electrode cables that attach to the Nox SAS Electrodes to minimize the odds of the electrodes falling off the subject.
- ❖ The Nox SAS Disposable carton is used to align the components in the package for convenience. The carton is made from paper and is applied to the patient over clothing during hook-up.
- ❖ Nox SAS neck band is used to attach the carton to the patient for further convenience when conducting patient hook-up. The SAS Neck Band is an elastic tubular banded material, bamboo.



Consumables

Nox RIP Belts

| Ref No | Sets pr Pack | Description |
|----------|--------------|---------------------------------------|
| 55 10 10 | 20 | Nox RIP Belts Disposable, Pediatric |
| 55 10 20 | 20 | Nox RIP Belts Disposable, Small |
| 55 10 30 | 20 | Nox RIP Belts Disposable, Medium |
| 55 10 40 | 20 | Nox RIP Belts Disposable, Large |
| 55 10 50 | 14 | Nox RIP Belts Disposable, Extra Large |

Specifications:

- ❖ Nox RIP Belts are very accurate in determining the effort of breathing
- ❖ To be used with both Nox A1s and Nox T3s Systems
- ❖ High quality signals
- ❖ Super stretchable elastics
- ❖ Comfortable for patient and clinician
- ❖ Easy to adjust
- ❖ Single use/disposable.



Not warranty covered

nox medical

Cannulas

| Ref No | Unit pr Pack | Description |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------|
| 55 20 10 | 40 | Nox Cannula with Filter, Adult |
| Specifications: <ul style="list-style-type: none"> ❖ The filter fits directly into the pressure connector on Nox recording devices ❖ Total length is 90cm/35in ❖ Air flow pressure ❖ Single use/disposable | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------|
| 55 21 51 | 25 | Cannula with Luer-lock, Pediatric |
| Specifications <ul style="list-style-type: none"> ❖ Male Luer Connector ❖ Total length is 210cm/84in ❖ Gas sampling line ❖ Air flow pressure ❖ Single use/disposable | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|---------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
| 55 21 10 | 50 | Nox Filter Tube Connector |
| Connector between Nox Recording device and Nox Cannula with Luer-lock or Mask tubing. | |  |

Not warranty covered

nox medical

Airflow Sensors

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------------------------------------|
| 55 22 30 | 1 | Thermal Flow Sensor, Reusable (Adult) |
| 55 22 31 | 1 | Thermal Flow sensor, Reusable (Pediatric) |

Specifications:

- ❖ Key Connector for Nox A1/A1s and Nox T3s
- ❖ Thermistor Flow Sensor
- ❖ Comfortable, adjustable and easy patient application



Warranty covered for 6 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|--------------------|
| 55 28 10 | 1 | Pneumo Flow Sensor |

The Pneumo Flow Sensor can be used to connect a flow generator and the differential pressure port on the Nox C1 Access Point (REF 54 40 23).



Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|------------------------------|
| 55 28 11 | 1 | Pneumo Flow Straight Adapter |

Specifications:

- ❖ Replacement Adapter for the Pneumo Flow Sensor
- ❖ Connects to the flow generator
- ❖ Size 15mm ID x 22mm ID



Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|--------------------------------|
| 55 28 12 | 1 | Pneumo Flow Straight Connector |

Specifications:

- ❖ Replacement Connector for the Pneumo Flow Sensor
- ❖ Connects to the mask tube
- ❖ Size 22mm OD x 22mm ID x 15mm ID



Not warranty covered

nox medical

| Ref No | Unit pr Pack | Description |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------|
| 55 21 15 | 50 | PT1 Hydrophobic Filters |
| <p>Specification:</p> <ul style="list-style-type: none">❖ Two filters are attached to the two tubes located on the Pneumo Flow Sensor (Ref 55 28 10)❖ Connects to the input of the Pressure Transducer Sensor❖ Single use | | |



Not warranty covered

nox medical

Oximeter Sensors

| Ref No | Unit pr Pack | Description |
|----------|--------------|------------------------------|
| 55 30 10 | 1 | WristOx2 Soft Sensor, Small |
| 55 30 20 | 1 | WristOx2 Soft Sensor, Medium |
| 55 30 30 | 1 | WristOx2 Soft Sensor, Large |

Specifications:

- ❖ Preferred application: Fingers and toes
- ❖ Reusable



Warranty covered for 2 years

| Ref No | Unit pr Pack | Description |
|----------|--------------|---------------------------------------|
| 55 31 10 | 1 | Flex Sensor with flexiwraps, Neonatal |

Specifications:

- ❖ Patient Range < 2kg (4lbs)
- ❖ Preferred application: Lateral aspect of foot
- ❖ 1 meter cable
- ❖ Reusable, made of durable silicone
- ❖ Packed with 25 disposable FlexiWraps for neonatal



Note: Flex Sensors 3150I Sensor Adapter Cable is needed, Ref No 55 39 10

Warranty covered for 3 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------------------------------|
| 55 31 20 | 1 | Flex Sensor with flexiwraps, Infant |

Specifications:

- ❖ Patient Range 2-20kg (4-44lbs)
- ❖ Preferred application: Toe, thumb, medial aspect of hand
- ❖ 1 meter cable
- ❖ Reusable, made of durable silicone
- ❖ Packed with 25 disposable FlexiWraps for infants



Note: Flex Sensors 3150I Sensor Adapter Cable is needed, Ref No 55 39 10

Warranty covered for 3 months

nox medical

| Ref No | Unit pr Pack | Description |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------|
| 55 31 30 | 1 | WristOx2 Flex Sensor with flexiwraps, Adult |
| <p>Specifications:</p> <ul style="list-style-type: none"> ❖ Patient Range > 20kg (> 44lbs) ❖ Preferred application: Index, middle or ring fingers ❖ Reusable, made of durable silicone ❖ 30cm cable ❖ Ideal for numerous applications, including extended monitoring and sleep studies ❖ Packed with 25 disposable FlexiWraps for adults | | |



Warranty covered for 3 months

| Ref No | Unit pr Pack | Description |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|
| 55 31 11 | 25 | FlexiWraps, Neonatal |
| 55 31 21 | 25 | FlexiWraps, Infant |
| 55 31 31 | 25 | FlexiWraps, Adult |
| <p>Specifications:</p> <ul style="list-style-type: none"> ❖ FlexiWraps to use with Nonin's Flex Sensors ❖ Single use/disposable | | |



Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------|
| 55 31 40 | 15 | WristOx2 3150 Single Use System |
| <p>Each pack contains 15 pieces of single use disposable cloth pulse oximetry sensor that can be used with the Nonin WristOx2 3150 along with a disposable wrist band.</p> | | |



Not warranty covered

nox medical

| Ref No | Unit pr Pack | Description |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------|
| 55 39 10 | 1 | WristOx2 3150 Sensor Adapter Cable |
| <p>All Nonin sensors that are not WristOx₂ sensors can be used with WristOx₂TM Model 3150 with this adapter cable.</p> | |  |

Warranty covered for 6 months

nox medical


Leads and Electrodes

| Ref No | Unit pr Pack | Description |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------------|
| 55 44 11 | 1 | Nox A1 EEG 5 Lead Gold Electrode Cable |
| <p>Specifications:</p> <ul style="list-style-type: none">❖ Five different colored EEG leads with gold plated cup electrodes❖ The colors of the leads are:<ul style="list-style-type: none">- Green (EOG)- Blue (F3/F4)- Yellow (C3/C4)- Grey (O1/O2)- Red (A1/A2)❖ The gold cup electrodes are intended to enable recording of EEG/EOG signals during sleep studies❖ 10mm diameter gold plated electrode❖ The electrodes are intended for both pediatric and adult patients❖ Reusable | | |



Warranty covered for 6 months

| Ref No | Unit pr Pack | Description |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------|
| 55 42 20 | 10 | Neuroline Cup Disposable EEG Electrodes |
| <p>Specifications:</p> <ul style="list-style-type: none">❖ 100 cm❖ Female 1.5mm safety connector❖ Advanced silver/silver chloride sensor ensures uniform high signal quality❖ Pre-attached tangle-free lead wires❖ Color coded lead wires for easy handling❖ No risk of cross-contamination | | |



Not warranty covered

nox medical

| Ref No | Unit pr Pack | Description |
|----------|--------------|-----------------------------|
| | | Nox Snap-on Lead: |
| 55 40 20 | 2 | - 50cm (20in), White |
| 55 40 21 | 2 | - 30cm (12in), Beige-White |
| 55 40 22 | 1 | - 100cm (40in), Green |
| 55 40 23 | 1 | - 50cm (20in), Beige-Green |
| 55 40 24 | 2 | - 150cm (60in), Grey |
| 55 40 25 | 2 | - 100cm (40in), Beige-Grey |
| 55 40 26 | 2 | - 150cm (60in), Black |
| 55 40 27 | 2 | - 100cm (40in), Beige-Black |
| 55 40 28 | 2 | - 100cm (40in), Orange |

Specification:

- ❖ Electrode cable with Female 1.5mm Touch proof safety connector and snap on head
- ❖ For use with button snap type electrodes
- ❖ White colored leads are in ideal lengths for Bruxism recordings
- ❖ Green colored leads are ideal for the patient ground
- ❖ Grey and black colored leads are ideal for LM recordings
- ❖ Orange colored leads are ideal for ECG recordings
- ❖ The leads with beige colored heads are ideal for pediatrics
- ❖ Reusable



Warranty covered for 3 months

nox medical

| Ref No | Unit pr Pack | Description |
|----------|--------------|-----------------------------------|
| | | Nox Snap-on Double Lead: |
| 55 43 10 | 1 | - 50/100cm (20/40in), Orange |
| 55 43 11 | 1 | - 30/50cm (12/20in), Beige-Orange |
| 55 43 12 | 1 | - 148/150cm (58/60in), Grey |
| 55 43 13 | 1 | - 98/100cm (39/40in), Beige-Grey |
| 55 43 14 | 1 | - 148/150cm (58/60in), Black |
| 55 43 15 | 1 | - 98/100cm (39/40in), Beige-Black |
| 55 43 16 | 1 | - 50/52cm (20/21in), White |
| 55 43 17 | 1 | - 30/32cm (12/13in), Beige-White |

Specification

- ❖ Keyhole connector on one end and snap on heads on the other
- ❖ For use with button snap type electrodes
- ❖ Electrode cable is divided into two separated leads with snap on-heads
- ❖ Orange colored cables are ideal for ECG recordings
- ❖ Grey and black colored cables are ideal for LM recordings
- ❖ White colored cables are ideal for Bruxism recordings
- ❖ The leads with Beige colored heads are ideal for pediatrics
- ❖ Reusable




Warranty covered for 3 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------------------------------------|
| 55 41 11 | 12 | Lead with Attached Electrode, 50cm (20in) |

Specifications:

- ❖ Ideal for EMG recordings
- ❖ Skin contact size 28 x 20mm electrode with solid gel
- ❖ The small size makes it easy to use on the facial area and pediatrics
- ❖ Transparent backing allows precise placement of sensor
- ❖ High quality Ag/AgCl sensor for optimal signal quality
- ❖ Female 1.5mm safety connector
- ❖ Wound lead wires for easier handling
- ❖ Each bag contains 4 x 3 electrodes on plastic film
- ❖ Single use/disposable



nox medical

Not warranty covered

| Ref No | Unit pr Pack | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------|
| 55 42 09 | 25 | Blue Sensor® N Electrode (Small) |
| <p>Specifications:</p> <ul style="list-style-type: none"> ❖ The small size makes it easy to use in the facial area and on pediatrics ❖ 3.0 x 2.2cm (1.18 x 0.90in) snap on electrode with wet gel ❖ Silver/silver chloride sensor ❖ Adhesion ensures that the electrode stays in place ❖ Single use/disposable | | |



Not warranty covered

| Ref No | Unit pr Pack | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|
| 55 42 10 | 50 | Blue Sensor® M Electrode |
| <p>Specifications:</p> <ul style="list-style-type: none"> ❖ Ideal for EMG or ECG recordings ❖ 3.4cm (1.25in) snap on electrode with wet gel ❖ Silver/silver chloride sensor ❖ Adhesion ensures that the electrode stays in place ❖ Single use/disposable | | |



Not warranty covered

Gels & Pastes

| Ref No | Unit pr Pack | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|
| 55 50 10 | 3 | Nuprep Skin Prep Gel |
| <p>Specifications:</p> <ul style="list-style-type: none"> ❖ A mild abrasive prepping gel reduces skin impedance ❖ Maximum efficiency on test results ❖ 114 gr (4oz) tube. EEG, EMG, and ECG prepping gel ❖ Sold in packs of 3 tubes | | |



Not warranty covered

nox medical

| Ref No | Unit pr Pack | Description |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------|
| 55 50 20 | 3 | Ten20 Conductive EEG Paste |
| Specifications: <ul style="list-style-type: none"> ❖ Adhesive paste which holds electrodes in place while allowing the transmittance of electrical signals ❖ Washable and non-drying ❖ 114 gr (4oz) jars ❖ Sold in packs of 3 jars | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------|
| 55 50 31 | 12 | Tensive Conductive Adhesive Gel |
| Specifications: <ul style="list-style-type: none"> ❖ Combines the proper resistive, cohesive and adhesive characteristics, necessary for accurate recording ❖ Water soluble, easily removed with water ❖ 50 gr per tube ❖ Sold in packs of 12 tubes | |  |

Not warranty covered

nox medical

Cleaning

| Ref No | Unit pr Pack | Description |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------|
| 55 90 10 | 200 | Super Sani-Cloth Plus Disinfection Wipes |
| <p>Specifications:</p> <ul style="list-style-type: none">❖ Disposable disinfection wipes for medical devices❖ Sani-Cloth is contraindicated for use as a terminal sterile/high level disinfectant on any surfaces  | | |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------|
| 55 90 11 | 200 | Sani-Cloth AF Disinfection Wipes |
| <p>Specifications:</p> <ul style="list-style-type: none">❖ Disposable disinfection wipes for non-invasive medical devices❖ Ideal for cleaning and disinfecting around patients and staff  | | |

Not warranty covered

nox medical

SYSTEM COMPONENTS

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------------------------------------------------------------------------------|
| 56 20 10 | 1 | Nox Abdomen Cable |
| | | Connects the Abdomen RIP belt to the Nox A1 and T3 recording devices. |
| | |  |

Warranty covered for 6 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|--------------------------------------------------------------------------------------------|
| 56 12 12 | 1 | Nox Abdomen Cable, s |
| | | Connects the Abdomen RIP belt to all Nox recording devices, including Nox T3s and Nox A1s. |
| | |  |

Warranty covered for 6 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|---------------------------------------------------------------------------------------------------------------------------|
| 56 20 12 | 1 | Analog DC Extension Cable (Nox C1) |
| | | Allows users to extend the analog inputs by 1.5 m to facilitate connections to 3 rd party sensors and devices. |

Warranty covered for 12 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 56 20 13 | 1 | Serial Cable (Nox C1) |
| | | Allows users to connect serial outputs to the serial ports on the back of the Nox C1 Access Point. The package also contains a Null Modem and a gender changer for the possibility to connect any DB9 serial connector. The package contains 3.5mm Male to DB9 Female Serial Cable (2.0m), Null Modem and a gender changer. |

Warranty covered for 12 months

nox medical

| Ref No | Unit pr Pack | Description |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------|
| 56 20 14 | 1 | Analog DC Splitter Cable (Nox C1) |
| Plugs into the DC analog inputs on the Nox C1 to enable individual access to each channel of the stereo analog inputs on the front of the Nox C1. | | |

Warranty covered for 12 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|----------------------------------------------|
| 56 21 10 | 1 | Nox A1 EEG Head Cable, Adult (90cm/35in) |
| 56 21 11 | 1 | Nox A1 EEG Head Cable, Pediatric (70cm/28in) |

Specifications:

- ❖ One end is snapped on a ground electrode fastened on patient's forehead
- ❖ Other end is 10 unipolar EEG channels and one ground channel that connects to the Nox A1
- ❖ Two Nox A1 EEG 5 Lead Gold Electrode Cables connect to the cable via micro-USB



Warranty covered for 6 months

| Ref No | Unit pr Pack | Description |
|----------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
| 56 90 11 | 1 | Nox Battery Lid |
| Replacement Battery Lid for the Nox T3 and Nox A1 recording devices. | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|---------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
| 56 90 20 | 1 | Nox Battery Lid, s |
| Replacement Battery Lid for the Nox T3s/A1s recording device. | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
| 56 90 13 | 2 | Nox Clip Straps |
| Replacement Clips for the Nox T3 and A1 recording devices. | |  |

Not warranty covered

nox medical

| Ref No | Unit pr Pack | Description |
|----------|--------------|----------------------------------------------------------|
| 56 90 21 | 2 | Nox Clip Straps, s |
| | | Replacement Clips for the Nox T3s/A1s recording devices. |



Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|------------------------------------------------------------|
| 56 90 18 | 1 | WristOx2 3150 Battery Lid |
| | | Replacement Battery Lid for the Nonin WristOx2, Model 3150 |



Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|------------------------------------------------------------------------------------------------|
| 56 28 13 | 1 | Keyhole 2 x 1.5mm Safety Connector Male |
| | | Used to connect products with bipolar 1.5mm female safety connectors to the Nox T3s and Nox A1 |

Warranty Covered for 6 months

| Ref No | Unit pr Pack | Description |
|----------|--------------|----------------------------------------------|
| 56 80 10 | 1 | Nox T3 Carry Case |
| | | Replacement Carry Case for the Nox T3 System |



Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|----------------------------------------------|
| 56 80 11 | 1 | Nox A1 Carry Case |
| | | Replacement Carry Case for the Nox A1 System |



Not warranty covered

nox medical

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------------------------------------------------------------------------------|
| 56 80 12 | 1 | Nox Carry Case, s |
| | | Replacement Carry Case for the Nox T3s and Nox A1s |
| | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|-------------------------------------------------------------------------------------|
| 56 90 14 | 1 | Nox Lid key |
| | | Key to open the Nox device's battery lid. |
| | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|------------------------------------------------------------------------------------------------------------------------|
| 56 20 11 | 1 | Nox Micro-USB Cable |
| | | Used to connect the classic Nox T3 and Nox A1 to a computer. Features USB-A on one end and micro-USB on the other end. |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|--------------------------------------------------------------------------------------------------------------------------|
| 56 20 16 | 1 | USB-C Cable |
| | | Used to connect the Nox T3s/A1s recording device to a computer. With standard USB on one end and USB-C on the other end. |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|----------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 56 40 42 | 1 | WristOx2 3150 Wristband |
| | | Specifications: |
| | | <ul style="list-style-type: none"> ❖ Wristband for the Nonin 3150 wrist pulse oximeter ❖ Comfortable for both patient and clinician ❖ Easy to adjust |
| | |  |

Not warranty covered

nox medical

| Ref No | Unit pr Pack | Description |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------|
| 56 40 50 | 250 | VERI-COLOR Big Band 140 Wristband |
| Specifications: <ul style="list-style-type: none"> ❖ Single use wristband for the Nonin 3150 wrist pulse oximeter ❖ Attaches the oximeter to patient for Chain of Custody ❖ Easy to adjust | | |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------|
| 56 30 91 | 4 | MAHA Powerex Rechargeable 2700mAh Batteries |
| Specifications: <ul style="list-style-type: none"> ❖ High quality rechargeable batteries. ❖ Nickel-metal hydride (NiMH) chemistry ❖ 4 batteries to a pack. ❖ 1.2V charge and 2700mAh capacity ❖ Use with 56 30 95 Battery Charger MAHA | |  |

Not warranty covered

| Ref No | Unit pr Pack | Description |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|
| 56 30 95 | 1 | MAHA Powerex Battery Charger MH-C980 |
| Specifications: <ul style="list-style-type: none"> ❖ The battery charger Nox Medical recommends ❖ Eight Cell 1-Hr PRO AA/AAA Charger with turbo charge mode ❖ LCD Display ❖ Thermal management system | |  |

Warranty covered for 2 years

nox medical

All information contained in this catalog is subject to change without notice.

Nox Medical is not responsible for any loss which results from any error in the product code or identification contained herein.

If you have any comments about our products and accessories, please help us to make our products even better by calling us or sending an e-mail: support@noxmedical.com.