

# Nox Product Catalog

eFORM-0212-REV20



# nox medical

## Contact

Nox Medical ehf  
Katrínartúni 2  
IS – 105 Reykjavík  
Iceland  
Tel: +(354) 5707170  
sales@noxmedical.com  
www.noxmedical.com

**Nox Medical** is a leading provider in the field of sleep diagnostic solutions that build on decades of experience in providing industry standard solutions for sleep monitoring and diagnostics as well as bleeding edge technology. Our main goal is to bring to market a new generation of products to support the growth of sleep medicine.

**Nox A1 and Nox T3**, our flagship products are revolutionary sleep monitors, based on the latest innovations in wireless, memory, sensors and electronic technology. These recording devices are compact, lightweight and easy to use.

**Nox Recording Devices** have been engineered and designed to record and analyze sleep disorders in children as well as adults. With the monitors we have managed to remove as much sensor leads as possible since the patient comfort is the key element for good sleep recording.

Combining **Nox Recording Devices** with the powerful Noxturnal software unleashes the full potential of the Nox systems. Offering automatic analysis, scoring and reporting, Noxturnal greatly simplifies the task of preparing a sleep study for the correct interpretation by the physicians.

**Nox Medical** will always aim to pro-actively satisfy its customers' needs. The customer service representatives are trained to handle customer requests promptly and professionally. Personalized customer service, along with prompt delivery, are major priorities in keeping commitments to customers.

**Important! Some products may not be available in all markets. For more information contact sales@noxmedical.com**

# nox medical

## Contents

NOX SYSTEMS	3
Nox T3s <sup>®</sup> System with WristOx2, CE	3
Nox A1s <sup>®</sup> System with WristOx2, CE	4
Nox A1s <sup>®</sup> System with SAS	5
SOFTWARE	6
Licenses	6
Nox C1 DC Channel License	6
Noxturnal EDF File Format License	6
SYSTEM EXTENSIONS	6
Nox C1s Kit	6
Bluetooth <sup>®</sup> 5.0 dongle	7
WristOx2 <sup>™</sup> Kit, Model 3150 BLE	7
Nox SAS Solution	8
Nox SAS Solution Consumables	9
Consumables	10
Nox RIP Belts	10
Cannulas	10
Airflow Sensors	11
Oximeter Sensors	13
Leads and Electrodes	15
Gels & Pastes	19
Cleaning	20
SYSTEM COMPONENTS	21


# nox medical

## NOX SYSTEMS

Ref No	Unit pr Pack	Description
51 10 12	1	Nox T3s® System with WristOx2, CE
		<p>The Nox T3s System is a high-end respiratory sleep diagnostic system. It comes with the Noxturnal analysis software.</p> <p>The Nox T3s is designed for both adult and pediatric patients.</p> <div data-bbox="1085 481 1444 795" data-label="Image"> </div> <p>The Nox T3s system includes:</p>
56 10 11		Nox T3s Recorder, CE
56 12 12		Nox Abdomen Cable, s
55 10 30		Nox RIP belts Disposable, Medium – 2 sets
55 20 10		Nox Cannula with Filter – 2 pieces
56 20 16		USB-C Cable (USB-A connection to PC)
56 80 12		Nox Carry Case, s
56 90 14		Nox Lid key
54 10 12		Nonin WristOx2, Model 3150 BLE Pack, includes
55 30 20		WristOx2 Soft Sensor, Medium size
56 40 42		WristOx2 3150 Wristband
91 00 08		CD-ROM of the Operators Manual
NA		Nox T3s System Leaflet
91 00 02		AA Battery – 2 units
91 00 01		AAA Battery – 2 units

*Warranty covered for 2 years (applies only to the main hardware units)*


# nox medical

Ref No	Unit pr Pack	Description
51 30 12	1	Nox A1s <sup>®</sup> System with WristOx2, CE
<p>The Nox A1s System is an ambulatory, polysomnography system, fully compliant to the AASM standards. The Nox A1s opens a new era in sleep diagnostic, designed with flexibility, study integrity and patient comfort in mind.</p> <p>The Nox A1s system includes:</p>		
		

56 14 11	Nox A1s Recorder, CE
56 21 10	Nox A1 EEG Head Cable 90 cm (35 in), Adult
55 44 11	Nox A1 EEG 5 Lead Gold Electrode Cable - 2 pieces
56 12 12	Nox Abdomen Cable, s
95 10 X2	Nox RIP belts Disposable (sizes Medium, Large - 1 set each)
55 20 10	Nox Cannula with Filter – 2 units
55 43 10	Nox Snap-on Double Lead Orange 50/100 cm (20/40 in)
55 43 12	Nox Snap-on Double Lead Grey 148/150 cm (58/60 in)
55 43 14	Nox Snap-on Double Lead Black 148/150 cm (58/60 in)
56 20 16	USB-C Cable (USB-A connection to PC)
56 80 12	Nox Carry Case, s
56 90 14	Nox Lid key
54 10 12	Nonin WristOx2 Kit, Model 3150BLE™ Pack, includes
55 30 20	WristOx2 Soft Sensor, Medium size
56 40 42	WristOx2 3150 Wristband
91 00 08	CD-ROM of the Operators Manual
N/A	Nox A1s System Leaflet
N/A	Noxturnal App Insert
91 00 02	AA Battery – 2 units
91 00 01	AAA Battery – 2 units

*Warranty covered for 2 years (applies only to the main hardware unit)*

# nox medical

Ref No	Unit pr Pack	Description
51 30 13	1	Nox A1s® System with SAS, CE
<p>The Nox SAS Solution features a new, flexible way to record EEG data during polysomnography sleep studies conducted with the Nox A1s PSG system.</p> <p>The Nox A1s system with SAS includes all re-useable item needed to record a Nox SAS Sleep Study.</p>		
		
56 14 11	Nox A1s Recorder, CE	
56 22 15	Nox SAS Head Cable, CE	
56 22 14	Nox SAS Body Cable, CE (Left)	
56 22 13	Nox SAS Body Cable, CE (Right)	
56 12 12	Nox Abdomen Cable, s	
56 20 16	USB-C Cable (USB-A connection to PC)	
56 80 12	Nox Carry Case, s	
56 90 14	Nox Lid key	
54 10 12	Nonin WristOx2 Kit, Model 3150BLE™ Pack, includes	
55 30 20	WristOx2 Soft Sensor, Medium size	
56 40 42	WristOx2 3150 Wristband	
91 00 08	CD-ROM of the Operators Manual	
N/A	Nox A1s System Leaflet	

*Warranty covered for 2 years (applies only to the main hardware unit)*

# nox medical


## SOFTWARE

### Licenses

Ref No	Unit pr Pack	Description
53 60 13	1	Nox C1 DC Channel License
<p>This license enables the DC channels on the Nox C1 Access Point. They will allow you to connect other auxiliary devices that have DC output to the Nox C1 Access Point.</p>		

Ref No	Unit pr Pack	Description
53 61 11	1	Noxturnal EDF File Format License
<p>This license enables Noxturnal to read and review recordings in the EDF file format.</p>		

## SYSTEM EXTENSIONS


Ref No	Unit pr Pack	Description
54 40 23	1	Nox C1s Kit
<p>The Nox C1 Access Point is a wireless access point that together with the Bluetooth<sup>®</sup> 5.0 dongle enables measurement, receiving and streaming of physiological signals during sleep. The Nox C1 is intended to be used with the Nox A1s System to enable online functionality of the system and allow for up to 12 auxiliary DC input channels.</p>		
<p>Includes:</p> <ul style="list-style-type: none"><li>❖ Nox C1 Access Point</li><li>❖ Nox C1 Power Supply</li><li>❖ Nox C1 Manual</li><li>❖ Bluetooth<sup>®</sup> 5.0 dongle</li></ul>		
		

*Warranty covered for 2 years (applies only to the main hardware unit)*

# nox medical

Ref No	Unit pr Pack	Description
54 40 30	1	Bluetooth® 5.0 dongle


The Bluetooth® 5.0 dongle is an essential extension to the Nox C1 Access Point enabling Bluetooth 5.0 connection with the Nox A1s. The Bluetooth® 5.0 dongle is plugged in to one of the two USB ports of the Nox C1.



*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
54 10 12	1	WristOx2™ Kit, Model 3150 BLE

Engineered with Nonin Medical's proven PureSAT SPO2 technology and updated with additional performance and reporting features, the WristOx2™ model 3150 is the most advanced wrist-worn pulse oximeter available. The Nonin 3150 BLE is an integrated part of the Nox sleep recording devices and provides Pulse Rate and Blood Oxygen Saturation signals.



Includes:


- ❖ WristOx2 Soft Sensor, Medium size
- ❖ WristOx2 3150 Wristband
- ❖ CD-ROM of the Operators Manual

*Warranty covered for 2 years*




# nox medical

## Nox SAS Solution

Ref No	Sets pr Pack	Description
56 22 15	1	Nox SAS Head Cable, CE
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ The Nox SAS Solution features a new, flexible way to record EEG data during polysomnography sleep studies conducted with the Nox A1s PSG system.</li> <li>❖ The patient side has two cables extending from the proxy connector.                             <ul style="list-style-type: none"> <li>○ First cable is terminated with two USB-Micro structured connectors intended to be mated with Nox SAS Body Cables (left and right).</li> <li>○ Second connected cable is terminated with 5 pair of double snap-on sockets that are intended to be connected to five Nox Double Snap Electrodes to record EEG, EOG and EMG.</li> </ul> </li> <li>❖ The proxy connector comments to the unipolar and bipolar channels on the Nox A1s recording device.</li> <li>❖ Reusable.</li> </ul>		

*Warranty covered for 6 months*

Ref No	Sets pr Pack	Description
56 22 14	1	Nox SAS Body Cable, CE (Left)
56 22 13	1	Nox SAS Body Cable, CE (Right)
<ul style="list-style-type: none"> <li>❖ The Nox SAS Body Cable provides a single cable to record ECG and limb EMG with the Nox SAS Solution</li> <li>❖ The Nox SAS Body Cable comes in two different colours to aid in easier set-up: one for the right side (Blue) and one for the left side (Red).</li> <li>❖ Reusable</li> </ul>		

*Warranty covered for 6 months*

## Nox SAS Solution Consumables

Ref No	Sets pr Pack	Description
55 90 43	20	Nox SAS Electrode Pack (pack of 20 pcs), CE
55 90 31	20	Nox SAS neck band (pack of 20)
55 90 44	20	Nox SAS Disposable Carton (pack of 20)
55 90 13	20	Aklavett Disinfection Wipes (pack of 20 pcs)

- ❖ The Nox SAS Electrode Pack consists of Nox SAS Electrodes, both single snap and double snap, and Nox Adhesive Strips in two lengths. The Nox Electrodes are single use cutaneous electrodes that are applied directly to the subject's intact skin. The Nox Adhesive Strips are intended to secure the electrode cables that attach to the Nox SAS Electrodes to minimize the odds of the electrodes falling off the subject.
- ❖ The Nox SAS Disposable carton is used to align the components in the package for convenience. The carton is made from paper and is applied to the patient over clothing during hook-up.
- ❖ Nox SAS neck band is used to attach the carton to the patient for further convenience when conducting patient hook-up. The SAS Neck Band is an elastic tubular banded material, 100% bamboo.
- ❖ Aklavett Disinfection Wipes consist of 20 disinfection wipes (soft nonwoven tissue) that feature 70% alcohol solution and 0.2% glycerin. The Aklavett Disinfection Wipes can be used to prepare the skin for application of the Nox SAS electrodes.



*Not warranty covered*

# nox medical

## Consumables

### Nox RIP Belts

Ref No	Sets pr Pack	Description
55 10 10	20	Nox RIP Belts Disposable, Pediatric
55 10 20	20	Nox RIP Belts Disposable, Small
55 10 30	20	Nox RIP Belts Disposable, Medium
55 10 40	20	Nox RIP Belts Disposable, Large
55 10 50	14	Nox RIP Belts Disposable, Extra Large

#### Specifications:

- ❖ Nox RIP Belts are very accurate in determining the effort of breathing
- ❖ To be used with both Nox A1s and Nox T3s Systems
- ❖ High quality signals
- ❖ Super stretchable elastics
- ❖ Comfortable for patient and clinician
- ❖ Easy to adjust
- ❖ Single use/disposable.



*Not warranty covered*

### Cannulas

Ref No	Unit pr Pack	Description
55 20 10	40	Nox Cannula with Filter, Adult


#### Specifications:

- ❖ The filter fits directly into the pressure connector on Nox recording devices
- ❖ Total length is 90cm/35in
- ❖ Air flow pressure
- ❖ Single use/disposable




*Not warranty covered*

# nox medical


Ref No	Unit pr Pack	Description
55 21 51	25	Cannula with Luer-lock, Pediatric
Specifications <ul style="list-style-type: none"> <li>❖ Male Luer Connector</li> <li>❖ Total length is 210cm/84in</li> <li>❖ Gas sampling line</li> <li>❖ Air flow pressure</li> <li>❖ Single use/disposable</li> </ul>		

*Not warranty covered*

Ref No	Unit pr Pack	Description
55 21 10	50	Nox Filter Tube Connector
Connector between Nox Recording device and Nox Cannula with Luer-lock or Mask tubing.		


*Not warranty covered*

## Airflow Sensors


Ref No	Unit pr Pack	Description
55 22 30	1	Thermal Flow Sensor, Reusable (Adult)
55 22 31	1	Thermal Flow sensor, Reusable (Pediatric)
Specifications: <ul style="list-style-type: none"> <li>❖ Key Connector for Nox A1/A1s and Nox T3s</li> <li>❖ Thermistor Flow Sensor</li> <li>❖ Comfortable, adjustable and easy patient application</li> </ul>		

*Warranty covered for 6 months*


# nox medical

Ref No	Unit pr Pack	Description
55 28 10	1	Pneumo Flow Sensor
<p>The Pneumo Flow Sensor can be used to connect a flow generator and the differential pressure port on the Nox C1 Access Point (REF 54 40 23).</p>		


*Not warranty covered*

Ref No	Unit pr Pack	Description
55 28 11	1	Pneumo Flow Straight Adapter
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Replacement Adapter for the Pneumo Flow Sensor</li> <li>❖ Connects to the flow generator</li> <li>❖ Size 15mm ID x 22mm ID</li> </ul>		

*Not warranty covered*

Ref No	Unit pr Pack	Description
55 28 12	1	Pneumo Flow Straight Connector
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Replacement Connector for the Pneumo Flow Sensor</li> <li>❖ Connects to the mask tube</li> <li>❖ Size 22mm OD x 22mm ID x 15mm ID</li> </ul>		

*Not warranty covered*

Ref No	Unit pr Pack	Description
55 21 15	50	PT1 Hydrophobic Filters
<p>Specification:</p> <ul style="list-style-type: none"> <li>❖ Two filters are attached to the two tubes located on the Pneumo Flow Sensor (Ref 55 28 10)</li> <li>❖ Connects to the input of the Pressure Transducer Sensor</li> <li>❖ Single use</li> </ul>		

*Not warranty covered*


# nox medical

## Oximeter Sensors

Ref No	Unit pr Pack	Description
55 30 10	1	WristOx2 Soft Sensor, Small
55 30 20	1	WristOx2 Soft Sensor, Medium
55 30 30	1	WristOx2 Soft Sensor, Large

Specifications:

- ❖ Preferred application: Fingers and toes
- ❖ Reusable




*Warranty covered for 2 years*

Ref No	Unit pr Pack	Description
55 31 10	1	Flex Sensor with flexiwraps, Neonatal

Specifications:

- ❖ Patient Range < 2kg (4lbs)
- ❖ Preferred application: Lateral aspect of foot
- ❖ 1 meter cable
- ❖ Reusable, made of durable silicone
- ❖ Packed with 25 disposable FlexiWraps for neonatal




Note: Flex Sensors 3150I Sensor Adapter Cable is needed, Ref No 55 39 10

*Warranty covered for 3 months*

Ref No	Unit pr Pack	Description
55 31 20	1	Flex Sensor with flexiwraps, Infant

Specifications:

- ❖ Patient Range 2-20kg (4-44lbs)
- ❖ Preferred application: Toe, thumb, medial aspect of hand
- ❖ 1 meter cable
- ❖ Reusable, made of durable silicone
- ❖ Packed with 25 disposable FlexiWraps for infants



Note: Flex Sensors 3150I Sensor Adapter Cable is needed, Ref No 55 39 10

*Warranty covered for 3 months*

# nox medical

Ref No	Unit pr Pack	Description
55 31 30	1	WristOx2 Flex Sensor with flexiwraps, Adult
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Patient Range &gt; 20kg (&gt; 44lbs)</li> <li>❖ Preferred application: Index, middle or ring fingers</li> <li>❖ Reusable, made of durable silicone</li> <li>❖ 30cm cable</li> <li>❖ Ideal for numerous applications, including extended monitoring and sleep studies</li> <li>❖ Packed with 25 disposable FlexiWraps for adults</li> </ul>		



*Warranty covered for 3 months*

Ref No	Unit pr Pack	Description
55 31 11	25	FlexiWraps, Neonatal
55 31 21	25	FlexiWraps, Infant
55 31 31	25	FlexiWraps, Adult
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ FlexiWraps to use with Nonin's Flex Sensors</li> <li>❖ Single use/disposable</li> </ul>		




*Not warranty covered*

Ref No	Unit pr Pack	Description
55 31 40	15	WristOx2 3150 Single Use System
<p>Each pack contains 15 pieces of single use disposable cloth pulse oximetry sensor that can be used with the Nonin WristOx2 3150 along with a disposable wrist band.</p>		




*Not warranty covered*


Ref No	Unit pr Pack	Description
55 39 10	1	WristOx2 3150 Sensor Adapter Cable
<p>All Nonin sensors that are not WristOx<sub>2</sub> sensors can be used with WristOx<sub>2</sub><sup>TM</sup> Model 3150 with this adapter cable.</p> 		

*Warranty covered for 6 months*

## Leads and Electrodes

Ref No	Unit pr Pack	Description
55 44 11	1	Nox A1 EEG 5 Lead Gold Electrode Cable
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Five different colored EEG leads with gold plated cup electrodes</li> <li>❖ The colors of the leads are: <ul style="list-style-type: none"> <li>- Green (EOG)</li> <li>- Blue (F3/F4)</li> <li>- Yellow (C3/C4)</li> <li>- Grey (O1/O2)</li> <li>- Red (A1/A2)</li> </ul> </li> <li>❖ The gold cup electrodes are intended to enable recording of EEG/EOG signals during sleep studies</li> <li>❖ 10mm diameter gold plated electrode</li> <li>❖ The electrodes are intended for both pediatric and adult patients</li> <li>❖ Reusable</li> </ul> 		

*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
55 42 20	10	Neuroline Cup Disposable EEG Electrodes
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ 100 cm</li> <li>❖ Female 1.5mm safety connector</li> <li>❖ Advanced silver/silver chloride sensor ensures uniform high signal quality</li> <li>❖ Pre-attached tangle-free lead wires</li> <li>❖ Color coded lead wires for easy handling</li> <li>❖ No risk of cross-contamination</li> </ul> 		

*Not warranty covered*



# nox medical

Ref No	Unit pr Pack	Description
		Nox Snap-on Lead:
55 40 20	2	- 50cm (20in), White
55 40 21	2	- 30cm (12in), Beige-White
55 40 22	1	- 100cm (40in), Green
55 40 23	1	- 50cm (20in), Beige-Green
55 40 24	2	- 150cm (60in), Grey
55 40 25	2	- 100cm (40in), Beige-Grey
55 40 26	2	- 150cm (60in), Black
55 40 27	2	- 100cm (40in), Beige-Black
55 40 28	2	- 100cm (40in), Orange

#### Specification:

- ❖ Electrode cable with Female 1.5mm Touch proof safety connector and snap on head
- ❖ For use with button snap type electrodes
- ❖ White colored leads are in ideal lengths for Bruxism recordings
- ❖ Green colored leads are ideal for the patient ground
- ❖ Grey and black colored leads are ideal for LM recordings
- ❖ Orange colored leads are ideal for ECG recordings
- ❖ The leads with beige colored heads are ideal for pediatrics
- ❖ Reusable



*Warranty covered for 3 months*

Ref No	Unit pr Pack	Description
		Nox Snap-on Double Lead:
55 43 10	1	- 50/100cm (20/40in), Orange
55 43 11	1	- 30/50cm (12/20in), Beige-Orange
55 43 12	1	- 148/150cm (58/60in), Grey
55 43 13	1	- 98/100cm (39/40in), Beige-Grey
55 43 14	1	- 148/150cm (58/60in), Black
55 43 15	1	- 98/100cm (39/40in), Beige-Black
55 43 16	1	- 50/52cm (20/21in), White
55 43 17	1	- 30/32cm (12/13in), Beige-White

# nox medical

## Specification

- ❖ Keyhole connector on one end and snap on heads on the other
- ❖ For use with button snap type electrodes
- ❖ Electrode cable is divided into two separated leads with snap on-heads
- ❖ Orange colored cables are ideal for ECG recordings
- ❖ Grey and black colored cables are ideal for LM recordings
- ❖ White colored cables are ideal for Bruxism recordings
- ❖ The leads with Beige colored heads are ideal for pediatrics
- ❖ Reusable




*Warranty covered for 3 months*

Ref No	Unit pr Pack	Description
55 41 11	12	Lead with Attached Electrode, 50cm (20in)

## Specifications:

- ❖ Ideal for EMG recordings
- ❖ Skin contact size 28 x 20mm electrode with solid gel
- ❖ The small size makes it easy to use on the facial area and pediatrics
- ❖ Transparent backing allows precise placement of sensor
- ❖ High quality Ag/AgCl sensor for optimal signal quality
- ❖ Female 1.5mm safety connector
- ❖ Wound lead wires for easier handling
- ❖ Each bag contains 4 x 3 electrodes on plastic film
- ❖ Single use/disposable



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 42 09	25	Blue Sensor® N Electrode (Small)

## Specifications:

- ❖ The small size makes it easy to use in the facial area and on pediatrics
- ❖ 3.0 x 2.2cm (1.18 x 0.90in) snap on electrode with wet gel
- ❖ Silver/silver chloride sensor
- ❖ Adhesion ensures that the electrode stays in place
- ❖ Single use/disposable



*Not warranty covered*

# nox medical

Ref No	Unit pr Pack	Description
55 42 10	50	Blue Sensor® M Electrode
<p>Specifications:</p> <ul style="list-style-type: none"><li>❖ Ideal for EMG or ECG recordings</li><li>❖ 3.4cm (1.25in) snap on electrode with wet gel</li><li>❖ Silver/silver chloride sensor</li><li>❖ Adhesion ensures that the electrode stays in place</li><li>❖ Single use/disposable</li></ul>		



*Not warranty covered*

# nox medical

## Gels & Pastes

Ref No	Unit pr Pack	Description
55 50 10	3	Nuprep Skin Prep Gel
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ A mild abrasive prepping gel reduces skin impedance</li> <li>❖ Maximum efficiency on test results</li> <li>❖ 114 gr (4oz) tube. EEG, EMG, and ECG prepping gel</li> <li>❖ Sold in packs of 3 tubes</li> </ul>		



*Not warranty covered*

Ref No	Unit pr Pack	Description
55 50 20	3	Ten20 Conductive EEG Paste
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Adhesive paste which holds electrodes in place while allowing the transmittance of electrical signals</li> <li>❖ Washable and non-drying</li> <li>❖ 114 gr (4oz) jars</li> <li>❖ Sold in packs of 3 jars</li> </ul>		



*Not warranty covered*


Ref No	Unit pr Pack	Description
55 50 31	12	Tensive Conductive Adhesive Gel
<p>Specifications:</p> <ul style="list-style-type: none"> <li>❖ Combines the proper resistive, cohesive and adhesive characteristics, necessary for accurate recording</li> <li>❖ Water soluble, easily removed with water</li> <li>❖ 50 gr per tube</li> <li>❖ Sold in packs of 12 tubes</li> </ul>		




*Not warranty covered*

# nox medical

## Cleaning

Ref No	Unit pr Pack	Description
55 90 11	200	Sani-Cloth AF Disinfection Wipes
Specifications:		
<ul style="list-style-type: none"><li>❖ Disposable disinfection wipes for non-invasive medical devices</li><li>❖ Ideal for cleaning and disinfecting around patients and staff</li></ul>		


*Not warranty covered*

Ref No	Unit pr Pack	Description
55 90 14	100	Super Sani-Cloth Large Disinfection Wipes
Specifications:		
<ul style="list-style-type: none"><li>❖ Disposable disinfection wipes for non-invasive medical devices</li><li>❖ Ideal for cleaning and disinfecting around patients and staff</li></ul>		


*Not warranty covered*

# nox medical

## SYSTEM COMPONENTS

Ref No	Unit pr Pack	Description
56 20 10	1	Nox Abdomen Cable
Connects the Abdomen RIP belt to the Nox A1 and T3 recording devices.		

*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
56 12 12	1	Nox Abdomen Cable, s
Connects the Abdomen RIP belt to all Nox recording devices, including Nox T3s and Nox A1s.		

*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
56 20 12	1	Analog DC Extension Cable (Nox C1)
Allows users to extend the analog inputs by 1.5 m to facilitate connections to 3 <sup>rd</sup> party sensors and devices.		

*Warranty covered for 12 months*

Ref No	Unit pr Pack	Description
56 20 13	1	Serial Cable (Nox C1)
Allows users to connect serial outputs to the serial ports on the back of the Nox C1 Access Point. The package also contains a Null Modem and a gender changer for the possibility to connect any DB9 serial connector. The package contains 3.5mm Male to DB9 Female Serial Cable (2.0m), Null Modem and a gender changer.		

*Warranty covered for 12 months*

# nox medical

Ref No	Unit pr Pack	Description
56 20 14	1	Analog DC Splitter Cable (Nox C1)
Plugs into the DC analog inputs on the Nox C1 to enable individual access to each channel of the stereo analog inputs on the front of the Nox C1.		

*Warranty covered for 12 months*

Ref No	Unit pr Pack	Description
56 21 10	1	Nox A1 EEG Head Cable, Adult (90cm/35in)
56 21 11	1	Nox A1 EEG Head Cable, Pediatric (70cm/28in)

**Specifications:**

- ❖ One end is snapped on a ground electrode fastened on patient's forehead
- ❖ Other end is 10 unipolar EEG channels and one ground channel that connects to the Nox A1
- ❖ Two Nox A1 EEG 5 Lead Gold Electrode Cables connect to the cable via micro-USB



*Warranty covered for 6 months*

Ref No	Unit pr Pack	Description
56 90 11	1	Nox Battery Lid
Replacement Battery Lid for the Nox T3 and Nox A1 recording devices.		



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 90 20	1	Nox Battery Lid, s
Replacement Battery Lid for the Nox T3s/A1s recording device.		



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 90 13	2	Nox Clip Straps
Replacement Clips for the Nox T3 and A1 recording devices.		



*Not warranty covered*

# nox medical

Ref No	Unit pr Pack	Description
56 90 21	2	Nox Clip Straps, s
		Replacement Clips for the Nox T3s/A1s recording devices.



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 90 18	1	WristOx2 3150 Battery Lid
		Replacement Battery Lid for the Nonin WristOx2, Model 3150



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 28 13	1	Keyhole 2 x 1.5mm Safety Connector Male
		Used to connect products with bipolar 1.5mm female safety connectors to the Nox T3s and Nox A1

*Warranty Covered for 6 months*

Ref No	Unit pr Pack	Description
56 80 11	1	Nox A1 Carry Case
		Replacement Carry Case for the Nox A1 System



*Not warranty covered*



# nox medical

Ref No	Unit pr Pack	Description
56 80 12	1	Nox Carry Case, s
Replacement Carry Case for the Nox T3s and Nox A1s		



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 90 14	1	Nox Lid key
Key to open the Nox device ´s battery lid.		



*Not warranty covered*

Ref No	Unit pr Pack	Description
56 20 11	1	Nox Micro-USB Cable
Used to connect the classic Nox T3 and Nox A1 to a computer. Features USB-A on one end and micro-USB on the other end.		

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 20 16	1	USB-C Cable
Used to connect the Nox T3s/A1s recording device to a computer. With standard USB on one end and USB-C on the other end.		

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 40 42	1	WristOx2 3150 Wristband
Specifications:		
<ul style="list-style-type: none"> <li>❖ Wristband for the Nonin 3150 wrist pulse oximeter</li> <li>❖ Comfortable for both patient and clinician</li> <li>❖ Easy to adjust</li> </ul>		




*Not warranty covered*


# nox medical

Ref No	Unit pr Pack	Description
56 40 50	250	VERI-COLOR Big Band 140 Wristband
Specifications: <ul style="list-style-type: none"> <li>❖ Single use wristband for the Nonin 3150 wrist pulse oximeter</li> <li>❖ Attaches the oximeter to patient for Chain of Custody</li> <li>❖ Easy to adjust</li> </ul>		

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 30 91	4	MAHA Powerex Rechargeable 2700mAh Batteries
Specifications: <ul style="list-style-type: none"> <li>❖ High quality rechargeable batteries.</li> <li>❖ Nickel-metal hydride (NiMH) chemistry</li> <li>❖ 4 batteries to a pack.</li> <li>❖ 1.2V charge and 2700mAh capacity</li> <li>❖ Use with 56 30 95 Battery Charger MAHA</li> </ul>		

*Not warranty covered*

Ref No	Unit pr Pack	Description
56 30 95	1	MAHA Powerex Battery Charger MH-C980
Specifications: <ul style="list-style-type: none"> <li>❖ The battery charger Nox Medical recommends</li> <li>❖ Eight Cell 1-Hr PRO AA/AAA Charger with turbo charge mode</li> <li>❖ LCD Display</li> <li>❖ Thermal management system</li> </ul>		

*Warranty covered for 2 years*

# nox medical

All information contained in this catalog is subject to change without notice.

**Nox Medical** is not responsible for any loss which results from any error in the product code or identification contained herein.

If you have any comments about our products and accessories, please help us to make our products even better by calling us or sending an e-mail: [support@noxmedical.com](mailto:support@noxmedical.com).